

LIGHTOLIER

by Signify

There's a reason why they call it a fan favorite...

LyteCaster LED

Downlights
with AccuRender technology





LyteCaster

Downlights

Lightolier is a global market leader widely recognized for its innovative LED lighting solutions with an unmatched commitment to technology leadership, reliability, visual appeal and high performance. LyteCaster LED downlight and adjustable luminaires provide comfortable, quality illumination. LyteCaster's shallow frame height fits into tight plenum spaces. A perfect option for multifamily residential applications, condo projects, hotels, healthcare facilities and more.



AccuRender LED Technology (CRI 90+)

The right light brings colors to life. Our new AccuRender technology helps ensure colors are rendered more accurately and consistently, while doing so as efficiently as CRI 80 products.



Standard CRI 80

Good color rendering and high efficacy



Standard CRI 90

Better color rendering and low efficacy



AccuRender

Best color rendering, color preference and high efficacy

Enjoy design flexibility

Full range of products and options:

- Available soon across Lightolier portfolio for application flexibility
- Multiple color temperatures (CCTs) and lumen packages are offered

Promote savings

High efficacy, with no penalty:

- Energy efficacy compares well to conventional 80 CRI
- Up to 25% more energy savings vs competitor 90 CRI¹
- Helps meet Title 24 requirements

Show your true colors

High color rendering:


- True to life colors to help energize your environment and render better flesh tones critical for healthcare hospitality and retail applications.
- R_a up to 94 CRI
- R_g up to 67 CRI
- G_a up to 99 CRI
- C_g up to 94 CRI
- R_f up to 92 TM-30
- $R_{f,h1}$ up to 91 TM-30
- R_g up to 100 TM-30
- $R_{cs,h1}$ up to -5% TM-30

Achieve color balance

Best in class color consistency:

- Promote aesthetic harmony in your space with ≤ 2 SDCM

LED Color Recipes (90CRI/3000K)



Crisp White

Dial-up the drama of your display. Highlight the variances in white tones, add contrast to blacks and create a real pleasing sparkle effect while retaining warm skin tones.




Premium White

The new benchmark for retail fashion. Delivering stronger and brighter whites via the best lighting technology on the market with minimal compromise to energy savings.



Premium Color

Enhance the contrast between colors and whites to achieve new depths of color rendering for a vibrant saturated fashion-forward visual experience that won't affect the atmosphere and will have a positive effect on energy efficiency.



Standard Color

Standard CRI 90



LED upgrade with ease

LyteCaster LED downlight's adaptable design makes it a versatile lighting option. Now available with AccuRender 90+ CRI technology for the highest color quality at the highest efficacy.

This shallow 3 ½" luminaire height saves plenum space without compromising the 70° physical and reflected cutoff which results in no glare and a comfortable lighting experience for end-users. Luminaire design offers efficacy of up to 100lm/w.

Benefits

- Housings include 90° swivel mounting bar points and offset holes for applications close to joints for easy installation.
- Shallow 3.5" luminaire height saves plenum space making it ideal in residential and light commercial installations.
- An interchangeable and upgradeable modular light engine provides easy install that is ideal for renovation spaces.
- Low cost solution for slope ceiling and wall wash applications.
- Great for bathrooms and shower installations without the need for special lens design.

L4, L5, L6 LyteCaster LED

Downlights

Features

- **Efficacy:** up to 103 lm/w
- **Lumens:** 650 – 2000 lm
- **Watts:** 7 – 18 W (max)
- **CRI:** 90+
- **CCT:** 2700 – 5000 K
- **Volts:** 120V, 120V/277V (50/60Hz)
- **Lifetime:** 100,000 hrs (L80)



Housing Complete unit = Housing + Light engine + Trim (order each separately)

example: **L4R06AE1VA**

Series	Lumens	Installation	Dimming	Version
				VB
L4R LyteCaster 4" downlight	06 650lm	A New Construction w/ Screws AN New Construction w/ Nails R Remodeler	E1 Phase Control (ELV/TRIAC 120V) Z10U 0-10V (Universal 120-277V)	VB Version B
L4RA LyteCaster 4" adjustable	10 1000lm			
L5R LyteCaster 5" downlight	10 1000lm			
L5RA LyteCaster 5" adjustable	15 1500lm			
L6R LyteCaster 6" downlight	15 1500lm			
L6RA LyteCaster 6" adjustable	20 2000lm			

Light Engine

example: **L4R06927VA**

Series	Lumens	CRI/CCT	Finishes	Version
				VB
L4R LyteCaster 4" round downlight (compatible with square trims)	06 650lm 10 1000lm	927 90CRI / 2700K 930 90CRI / 3000K 935 90CRI / 3500K 940 90CRI / 4000K 950 90CRI / 5000K	— Specified with Trim below (for downlight models only)	VB Version B
L5R LyteCaster 5" round downlight (compatible with square trims)	10 1000lm 15 1500lm			
L6R LyteCaster 6" round downlight (compatible with square trims)	15 1500lm 20 2000lm			
L4RA LyteCaster 4" round adjustable (trim is integrated)	06 650lm 10 1000lm			
L5RA LyteCaster 5" round adjustable (trim is integrated)	10 1000lm 15 1500lm	927 90CRI / 2700K 930 90CRI / 3000K 935 90CRI / 3500K 940 90CRI / 4000K 950 90CRI / 5000K	W White Reflector / White Flange (integral to light engine for adjustable, do not specify Trim separately)	VB Version B
L6RA LyteCaster 6" round adjustable (trim is integrated)	15 1500lm 20 2000lm			

Trim (for downlights only)

example: **L4RDD**

Series	Finishes
L4R LyteCaster 4" round downlight	DD Open Downlight / Clear Diffuse / White Flange DW Open Downlight / White Finish / White Flange BW Baffle Downlight / White Finish / White Flange
L4S LyteCaster 4" square downlight	
L5R LyteCaster 5" round downlight	
L5S LyteCaster 5" square downlight	
L6R LyteCaster 6" round downlight	
L6S LyteCaster 6" square downlight	

Note: Version B frames and light engines are not compatible with previous versions.

cULus Listed Type I.C., frames are suitable for damp location and wet listed for use in covered ceilings. Complies with Air Leakage. 5 year warranty. ENERGY STAR® certified (excluding Crisp White, Premium White, and Premium Color configurations).




Cutting edge technology

Three-Part Downlighting System

The ideal general purpose downlighting solution, providing comfortable, quality light. Available with new construction and remodeler housings and interchangeable light engines that are offered in two lumen packages. This downlight is wet location listed and if offered in three standard trim finishes.

Components

1. **Retaining clips:** 29 gauge Stainless Steel, allows tool-less installation of light engine to trim.
2. **Engine housing:** (0.05") thick powder coated aluminum provides integrated thermal management allowing for a low profile at less than 3 1/2" tall.
3. **LED board:** High efficiency mid-flux LED technology.
4. **Mixing chamber:** 98% reflective, highly diffuse film.
5. **Diffusion lens:** (0.06") thick acrylic opal lens provides an even source of illumination.
6. **Retaining ring:** (0.04") thick powder coated aluminum, secures module components.
7. **Reflector:** 30% glass reinforced injection molded polycarbonate is durable and provides a 70° cutoff to the source.



Housings



Light Engines



4" Light Engine



5" Light Engine



6" Light Engine

Trims



Open Downlight
Clear Diffuse
White Flange
(DD)



Open Downlight
White Finish
White Flange
(DW)



Baffle Downlight
White Finish
White Flange
(BW)



Open Downlight
Clear Diffuse
White Flange
(DD)



Open Downlight
White Finish
White Flange
(DW)



Baffle Downlight
White Finish
White Flange
(BW)



White Reflector
White Flange
(adjustable)


Three-part system

Taking accent lighting to the next level

Housing offers multiple built-in contractor friendly features for easy installation.

Light engine provides a lightweight design featuring innovative mid-flux LED technology which eliminates pixilation and provides smooth, even illumination with simplified thermal management.

Complete unit consists of Housing, Light engine and Trim (order each separately).



Features

Less stocking for distributors:

Easy mix and match of housing options, CCT / CRI LED light engine options, and trim finish options.*

Easy to upgrade and service:


Simple to replace trims in the field. Future proof LED light engine is easy to replace, modular and upgradeable.

Available with Screws or Nails:

Frames with Screws = A (L5RAE1)
Frames with Nails = AN (L5RANE1)

Contractor friendly installation:

1. Offset holes
2. Alignment notches
3. 90° swivel mounting bar points
4. Top access for open ceilings
5. Large junction box
6. Access from inside frame
7. Bottom access for ease of wiring and inspection



* Adjustable models are 2-part systems (housing and Light engine/Trim)



© 2021 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.

Signify North America Corporation
400 Crossing Blvd, Suite 600
Bridgewater, NJ 08807
Telephone: 855-486-2216

Signify Canada Ltd.
281 Hillmount Road,
Markham, ON, Canada L6C 2S3
Telephone: 800-668-9008

All trademarks are owned by Signify Holding or their respective owners.