signify
interact

Interact for specifiers

Easy. Effective. Smart.

Meet Interact – a smart, wireless luminaire level lighting control system (LLLC).
One solution that combines various modern technologies for easy specification

Why choose Interact?

Luminaire level lighting controls

Smart sensors are integrated into LED lights for a clean look, eliminating ceiling clutter.

Code compliance out of the box

Easily comply with the latest building codes, such as T24, ASHRAE, IECC, WELL and more.

Third-party-luminaire compatible

Easily control luminaries by Signify or other manufacturers over 0-10V and phase dimming protocols.

Digital, flexible and upgradeable

Every light is digitally addressable, providing the flexibility to create logical lighting groups/zones and perform system updates through the gateway.

A complete solution

Cost-effectively implement various control strategies in unique applications, from indoor spaces to outdoor parking areas.

Seamlessly implement multiple control strategies

- Digitally addressable
- Occupancy, vacancy, & daylight sensing
- Lighting automation
- User interfaces for manual controls
- Human-centric lighting
- BMS integration & automated demand response
- Security
- Reporting & monitoring

Energy savings potential



* Source 2011 Berkeley Lab

Code compliance made easier

Meet the latest building codes

- Cyber security certified as per IEC62443-4-1
- Comply with ASHRAE, Title 24, IECC, ELL, and other building codes



A comprehensive and cost-effective solution for human-centric designs

With built-in, wireless, tunable white technology, you can eliminate the wiring and design complexities of a circadian lighting system. Seamlessly access consistent color temperature performance across luminaires from different Genlyte Solutions brands to create engaging and modern designs.

Proven at scale

Interact software powers multiple applications such as offices, schools, warehouses, cities, airports, and many more.

80 million+
light points
installed globally



Meeting room application example



Bill of materials

Example photo	Key image	Description	ASHRAE 2022	T24 2022	IECC 2021
		Interact ready 2x2 troffers with wireless occupancy and daylight sensor	9.4.1.1(a) 9.4.1.1(b) 9.4.1.1(c) 9.4.1.1(d) 9.4.1.1(e) 9.4.1.1(h)	130.1(a) 130.1(b) 130.1(c) 130.1(d)	C405.2.1 C405.2.2 C405.2.3
		Interact ready linear luminaires with wireless occupancy and daylight sensor			
		Wireless switch (ZGP switch dim 4 button)			
		Interact Ready RF switch relay	8.4.2	130.5(d)	
		Interact commissioning remote + Interact Pro App	**For more information download the Interact Application guide**		

Questions about Interact? Contact us directly.

https://www.interact-lighting.com/en-us/get-in-touch or
General inquiries: 1-833-468-7776, Field support: 1-800-555-0050 (Monday – Friday, 8am – 8pm EST)

interact

© 2023 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.