



# Real pros use Philips LED lamps

# Every job, done right

**REAL  
PROs**  
**REAL  
QUALITY**

You're no handyman, you're a real professional. Someone who can be relied on to get the job done. Someone who plans well, executes fast and works efficiently.


LED technologies are rapidly changing, creating plenty of new opportunities. As a trusted name in lighting, we understand your challenges and can help you build your business & reputation. We know the importance of installing the lowest cost options to maintain profitability while still ensuring that you offer your customers a reliable product that will stand the test of time.

When you need to get the job done right, you can count on Philips LED lamps. Now offering a dedicated, affordable contractor-grade portfolio of LED Lamps.

**Real professionals**  
choose Philips LED lamps

# The right light for the right price

The Contractor-grade line of LED lamps offers reliable, lighting that meets industry efficiency standards and delivers the most affordable solutions from a trust-worthy brand leader.



**Philips quality**  
that meets your needs

- ✓ Focused product portfolio with attractive price points
- ✓ Easy 1:1 replacement of conventional lamps with fast ROI
- ✓ Product lifetimes fitting application and customer needs
- ✓ Multi-pack options to make installs faster

PHILIPS

Contractor-grade

MainsFit (UL Type-B)  
TLED lamps




PHILIPS

Contractor-grade

Frosted  
BR30 LED lamps

### Why choose MainsFit (UL Type-B) TLED lamps?

- Single ended and double ended for faster installs
- Proven over 40% energy savings<sup>1</sup> over fluorescent lamps
- Average life rating of 50,000 hours<sup>2</sup>
- UL Type B ballast bypass
- Emergency capable with Philips PTB15D, Bodine ELI-S-20 or ELI-S-100 EM drivers
- Glass tube construction



### Why choose Frosted BR30 LED lamps?

- Most cost-efficient option for basic lighting applications
- Dimmable & enclosed rated
- Average life rating of 15,000 hours<sup>1</sup>
- 2700K, 3000K, 4000K & 5000K CCT options
- Opportunity to expand into the Residential Market & Resi contractors



#### Contractor-grade MainsFit (UL Type-B) TLED lamps



| Cat. No. | Model No.    | Product Description           | Volts (V) | Watts (W) | Base | CRI (min) | CCT (K) | Lifespan (hrs) | Lumens (lm) | DLC ID   | C/P Qty |
|----------|--------------|-------------------------------|-----------|-----------|------|-----------|---------|----------------|-------------|----------|---------|
| 610279   | 929004351104 | 13.4T8/CNG/48-835/MX17/G 25/1 | 120-277   | 13.4      | G13  | 82        | 3500    | 50,000         | 1750        | S-MDRWDB | 25      |
| 610287   | 929004351204 | 13.4T8/CNG/48-840/MX18/G 25/1 | 120-277   | 13.4      | G13  | 82        | 4000    | 50,000         | 1800        | S-2D39WD | 25      |
| 610295   | 929004351304 | 13.4T8/CNG/48-850/MX18/G 25/1 | 120-277   | 13.4      | G13  | 82        | 5000    | 50,000         | 1800        | S-GHIM99 | 25      |
| 610300   | 929004351404 | 13.4T8/CNG/48-865/MX18/G 25/1 | 120-277   | 13.4      | G13  | 82        | 6500    | 50,000         | 1800        | S-SV2BCS | 25      |
| 610310   | 929004351504 | 15.3T8/CNG/48-835/MX20/G 25/1 | 120-277   | 15.3      | G13  | 82        | 3500    | 50,000         | 2000        | S-2VW3K5 | 25      |
| 610329   | 929004351604 | 15.3T8/CNG/48-840/MX21/G 25/1 | 120-277   | 15.3      | G13  | 82        | 4000    | 50,000         | 2100        | S-9DDN7P | 25      |
| 610337   | 929004351704 | 15.3T8/CNG/48-850/MX21/G 25/1 | 120-277   | 15.3      | G13  | 82        | 5000    | 50,000         | 2100        | S-Z2CXQD | 25      |

| 6NC    | SKU UPC      | Case UPC       | Case Qty | Case Wt | Case Cube | Layer | Pallet | layers | SKU Dim         | Case Dim | Pallet Dim |
|--------|--------------|----------------|----------|---------|-----------|-------|--------|--------|-----------------|----------|------------|
| 610287 | 046677610272 | 50046677610277 | 25       | 13.64   | 1.19      | 150   | 1050   | 10     | 47.7x1.1x1.x1.1 | 49x6x7   | 49x40x49   |
| 610295 | 046677610289 | 50046677610284 | 25       | 13.64   | 1.19      | 150   | 1050   | 10     | 47.7x1.1x1.x1.1 | 49x6x7   | 49x40x49   |
| 610300 | 046677610296 | 50046677610291 | 25       | 13.64   | 1.19      | 150   | 1050   | 10     | 47.7x1.1x1.x1.1 | 49x6x7   | 49x40x49   |
| 610310 | 046677610302 | 50046677610307 | 25       | 13.64   | 1.19      | 150   | 1050   | 10     | 47.7x1.1x1.x1.1 | 49x6x7   | 49x40x49   |
| 610329 | 046677610319 | 50046677610314 | 25       | 13.64   | 1.19      | 150   | 1050   | 10     | 47.7x1.1x1.x1.1 | 49x6x7   | 49x40x49   |
| 610337 | 046677610326 | 50046677610321 | 25       | 13.64   | 1.19      | 150   | 1050   | 10     | 47.7x1.1x1.x1.1 | 49x6x7   | 49x40x49   |
| 579060 | 046677610333 | 50046677610338 | 25       | 13.64   | 1.19      | 150   | 1050   | 10     | 47.7x1.1x1.x1.1 | 49x6x7   | 49x40x49   |

1. Savings based on comparison to F32T8 electronic instant start systems.  
2. Tested to B50 L70 requirement. LED lifetime means the length of time (in hours) until half of the LED light sources maintain at least 70% of their initial lumen output (B50, L70).

#### Contractor-grade Frosted BR30 LED lamps (E26 base)



| Cat. No. | Model No.    | Product Description                     | Volts (V) | Watts (W) | Equivalent | CRI (min) | CCT (K)               | Lifespan (hrs)         | Lumens (lm)              | Dimmable | T20 status |
|----------|--------------|-----------------------------------------|-----------|-----------|------------|-----------|-----------------------|------------------------|--------------------------|----------|------------|
| 583583   | 929003619804 | 8.8BR30/CNG/827/FR/P/E26/DIM/120V 6/1CT | 120       | 8.8       | 65         | 80        | 2700                  | 15,000                 | 650                      | Yes      | No         |
| 583591   | 929003619904 | 8.8BR30/CNG/830/FR/P/E26/DIM/120V 6/1CT | 120       | 8.8       | 65         | 80        | 3000                  | 15,000                 | 650                      | Yes      | No         |
| 583609   | 929003620004 | 8.8BR30/CNG/840/FR/P/E26/DIM/120V 6/1CT | 120       | 8.8       | 65         | 80        | 4000                  | 15,000                 | 650                      | Yes      | No         |
| 583617   | 929003620104 | 8.8BR30/CNG/850/FR/P/E26/DIM/120V 6/1CT | 120       | 8.8       | 65         | 80        | 5000                  | 15,000                 | 650                      | Yes      | No         |
| 541010   | 929001947903 | 9BR30/LED/827/FR/P/ND 6/1FB             | 120       | 9         | 65         | 80        | 2700                  | 11,000                 | 650                      | No       | No         |
| 576561   | 929001947993 | 9BR30/LED/827/FR/P/ND 4/3CT             | 120       | 9         | 65         | 80        | 2700                  | 11,000                 | 650                      | No       | No         |
| Cat. No. | SKU UPC      | Case UPC                                | Case Qty  | Case Wght | Layer      | Pallet    | Sku dimensions        | Case dimensions        | Pallet dimensions        |          |            |
| 583583   | 46677583583  | 50046677583588                          | 6         | 1.4938    | 120        | 840       | 3.80" x 3.80" x 5.28" | 11.81" x 7.95" x 5.95" | 47.24" x 39.37" x 47.60" |          |            |
| 583591   | 46677583590  | 50046677583595                          | 6         | 1.4938    | 120        | 840       | 3.80" x 3.80" x 5.28" | 11.81" x 7.95" x 5.95" | 47.24" x 39.37" x 47.60" |          |            |
| 583609   | 46677583606  | 50046677583601                          | 6         | 1.4938    | 120        | 840       | 3.80" x 3.80" x 5.28" | 11.81" x 7.95" x 5.95" | 47.24" x 39.37" x 47.60" |          |            |
| 583617   | 46677583613  | 50046677583618                          | 6         | 1.4938    | 120        | 840       | 3.80" x 3.80" x 5.28" | 11.81" x 7.95" x 5.95" | 47.24" x 39.37" x 47.60" |          |            |
| 541010   | 46677541019  | 50046677541014                          | 6         | 1.903     | 120        | 960       | 3.58" x 3.58" x 5.16" | 11.22" x 7.56" x 5.83" | 47.24" x 39.37" x 52.76" |          |            |
| 576561   | 46677576561  | 50046677576566                          | 4         | 3.56      | 60         | 360       | 3.74" x 7.28" x 7.05" | 15.67" x 7.76" x 7.72" | 47.24" x 39.37" x 52.09" |          |            |

1. Tested to B50 L70 requirement. LED lifetime means the length of time (in hours) until half of the LED light sources maintain at least 70% of their initial lumen output (B50, L70).

PHILIPS

Contractor-grade

Frosted A-shape  
LED lamps



PHILIPS

Contractor-grade

Frosted A-shape  
LED lamps

Why choose Frosted A-shape LED lamps?

- Up to 35% cost savings compared to Core Pro A-shape lamps
- Ideal for residential and multi-family applications
- Lamps suitable for enclosed fixtures
- Select lamps Title 20 qualified for California applications
- Dimmable/non-dim portfolio



Why choose Frosted A-shape LED lamps?

- Up to 35% cost savings compared to Core Pro A-shape lamps
- Ideal for residential and multi-family applications
- Lamps suitable for enclosed fixtures
- Select lamps Title 20 qualified for California applications
- Dimmable/non-dim portfolio

Contractor-grade Frosted A-shape Dimmable LED Lamps (E26 base)



| Cat. No. | Model No.    | Product Description              | Volts (V) | Watts (W) | Equivalent | CRI (min) | CCT (K) | Lifespan (hrs) | Lumens (lm) | Dimmable | T20 status |
|----------|--------------|----------------------------------|-----------|-----------|------------|-----------|---------|----------------|-------------|----------|------------|
| 589606   | 929003750964 | 5A19/CNG/827/FR/P/E26/D 12/ICT   | 120       | 5         | 40         | 80        | 2700    | 15,000         | 450         | Yes      | No         |
| 589614   | 929003751064 | 5A19/CNG/830/FR/P/E26/D 12/ICT   | 120       | 5         | 40         | 80        | 3000    | 15,000         | 450         | Yes      | No         |
| 589622   | 929003751164 | 5A19/CNG/840/FR/P/E26/D 12/ICT   | 120       | 5         | 40         | 80        | 4000    | 15,000         | 450         | Yes      | No         |
| 589630   | 929003751264 | 5A19/CNG/850/FR/P/E26/D 12/ICT   | 120       | 5         | 40         | 80        | 5000    | 15,000         | 450         | Yes      | No         |
| 589648   | 929003579564 | 8.8A19/CNG/827/FR/P/E26/D 12/ICT | 120       | 8.8       | 60         | 80        | 2700    | 15,000         | 800         | Yes      | No         |
| 589663   | 929003584864 | 8.8A19/CNG/830/FR/P/E26/D 12/ICT | 120       | 8.8       | 60         | 80        | 3000    | 15,000         | 800         | Yes      | No         |
| 589671   | 929003584964 | 8.8A19/CNG/840/FR/P/E26/D 12/ICT | 120       | 8.8       | 60         | 80        | 4000    | 15,000         | 800         | Yes      | No         |
| 589655   | 929003579664 | 8.8A19/CNG/850/FR/P/E26/D 12/ICT | 120       | 8.8       | 60         | 80        | 5000    | 15,000         | 800         | Yes      | No         |
| 589689   | 929003751764 | 11A19/CNG/827/FR/P/E26/D 12/ICT  | 120       | 11        | 75         | 80        | 2700    | 15,000         | 1100        | Yes      | No         |
| 589697   | 929003751864 | 11A19/CNG/830/FR/P/E26/D 12/ICT  | 120       | 11        | 75         | 80        | 3000    | 15,000         | 1100        | Yes      | No         |
| 589705   | 929003751964 | 11A19/CNG/840/FR/P/E26/D 12/ICT  | 120       | 11        | 75         | 80        | 4000    | 15,000         | 1100        | Yes      | No         |
| 589713   | 929003752064 | 11A19/CNG/850/FR/P/E26/D 12/ICT  | 120       | 11        | 75         | 80        | 5000    | 15,000         | 1100        | Yes      | No         |
| 589721   | 929003585064 | 14A19/CNG/827/FR/P/E26/D 12/ICT  | 120       | 14        | 100        | 80        | 2700    | 15,000         | 1500        | Yes      | No         |
| 589739   | 929003585164 | 14A19/CNG/830/FR/P/E26/D 12/ICT  | 120       | 14        | 100        | 80        | 3000    | 15,000         | 1500        | Yes      | No         |
| 589747   | 929003585264 | 14A19/CNG/840/FR/P/E26/D 12/ICT  | 120       | 14        | 100        | 80        | 4000    | 15,000         | 1500        | Yes      | No         |
| 589754   | 929003585364 | 14A19/CNG/850/FR/P/E26/D 12/ICT  | 120       | 14        | 100        | 80        | 5000    | 15,000         | 1500        | Yes      | No         |

Contractor-grade Non-Dimmable A19 Lamps (E26)

|        |              |                                 |     |    |     |    |      |        |      |    |    |
|--------|--------------|---------------------------------|-----|----|-----|----|------|--------|------|----|----|
| 588939 | 929002311364 | 9A19/CNG/827/FR/P/E26/ND 4/ICT  | 120 | 9  | 60  | 80 | 2700 | 15,000 | 800  | No | No |
| 589977 | 929002475464 | 9A19/CNG/830/FR/P/E26/ND 4/ICT  | 120 | 9  | 60  | 80 | 3000 | 15,000 | 800  | No | No |
| 588947 | 929002311464 | 9A19/CNG/850/FR/P/E26/ND 4/ICT  | 120 | 9  | 60  | 80 | 5000 | 15,000 | 800  | No | No |
| 588897 | 929002311564 | 10A19/CNG/827/FR/P/E26/ND 4/ICT | 120 | 10 | 75  | 80 | 2700 | 15,000 | 1000 | No | No |
| 588905 | 929003798364 | 10A19/CNG/830/FR/P/E26/ND 4/ICT | 120 | 10 | 75  | 80 | 3000 | 15,000 | 1000 | No | No |
| 588913 | 929002311664 | 10A19/CNG/850/FR/P/E26/ND 4/ICT | 120 | 10 | 75  | 80 | 5000 | 15,000 | 1000 | No | No |
| 588953 | 929002311764 | 14A19/CNG/827/FR/P/E26/ND 4/ICT | 120 | 14 | 100 | 80 | 2700 | 15,000 | 1500 | No | No |
| 588921 | 929003798464 | 14A19/CNG/830/FR/P/E26/ND 4/ICT | 120 | 14 | 100 | 80 | 3000 | 15,000 | 1500 | No | No |
| 588961 | 929002311864 | 14A19/CNG/850/FR/P/E26/ND 4/ICT | 120 | 14 | 100 | 80 | 5000 | 15,000 | 1500 | No | No |

Contractor-grade Frosted A-shape LED lamps (E26 base)



| Cat. No. | SKU UPC      | Case UPC       | Case Qty | Case Wght | Layer | Pallet | Sku dimensions        | Case dimensions        | Pallet dimensions          |
|----------|--------------|----------------|----------|-----------|-------|--------|-----------------------|------------------------|----------------------------|
| 589606   | 046677589608 | 50046677589603 | 12       | 1.4014    | 300   | 3000   | 2.40" x 40" x 4.2"    | 10.00" x 7.56" x 4.76" | 47.244" x 39.37" x 54.213" |
| 589614   | 046677589615 | 50046677589610 | 12       | 1.4014    | 300   | 3000   | 2.40" x 2.40" x 4.21" | 10.00" x 7.56" x 4.76" | 47.244" x 39.37" x 54.21"  |
| 589622   | 046677589622 | 50046677589627 | 12       | 1.4014    | 300   | 3000   | 2.40" x 2.4"0 x 4.2"1 | 10.00" x 7.56" x 4.76" | 47.244" x 39.37" x 54.213" |
| 589630   | 046677589639 | 50046677589634 | 12       | 1.4014    | 300   | 3000   | 2.40" x 2.40" x 4.21" | 10.00" x 7.56" x 4.76" | 47.244" x 39.37" x 54.213" |
| 589648   | 046677589646 | 50046677589641 | 12       | 1.4014    | 300   | 3000   | 2.40" x 2.40" x 4.21" | 10.00" x 7.56" x 4.76" | 47.244" x 39.37" x 54.213" |
| 589663   | 046677589660 | 50046677589665 | 12       | 1.4014    | 300   | 3000   | 2.40" x 2.40" x 4.21" | 10.00" x 7.56" x 4.76" | 47.244" x 39.37" x 54.213" |
| 589671   | 046677589677 | 50046677589672 | 12       | 1.4014    | 300   | 3000   | 2.40" x 2.40" x 4.21" | 10.00" x 7.56" x 4.76" | 47.244" x 39.37" x 54.213" |
| 589655   | 046677589653 | 50046677589658 | 12       | 1.4014    | 300   | 3000   | 2.40" x 2.40" x 4.21" | 10.00" x 7.56" x 4.76" | 47.244" x 9.37" x 54.213"  |
| 589689   | 046677589684 | 50046677589689 | 12       | 1.5598    | 300   | 3000   | 2.40" x 2.40" x 4.21" | 10.00" x 7.56" x 4.76" | 47.244" x 39.37" x 54.213" |
| 589697   | 046677589691 | 50046677589696 | 12       | 1.5598    | 300   | 3000   | 2.40" x 2.40" x 4.21" | 10.00" x 7.56" x 4.76" | 47.244" x 39.37" x 54.213" |
| 589705   | 046677589707 | 50046677589702 | 12       | 1.5598    | 300   | 3000   | 2.40" x 2.40" x 4.21" | 10.00" x 7.56" x 4.76" | 47.244" x 39.37" x 54.213" |
| 589713   | 046677589714 | 50046677589719 | 12       | 1.5598    | 300   | 3000   | 2.40" x 2.40" x 4.21" | 10.00" x 7.56" x 4.76" | 47.244" x 39.37" x 54.213" |
| 589721   | 046677589721 | 50046677589726 | 12       | 1.9844    | 264   | 2376   | 2.46" x 2.46" x 4.29" | 10.32" x 7.80 "x 5.39" | 47.244" x 39.37" x 54.724" |
| 589739   | 046677589738 | 50046677589733 | 12       | 1.9844    | 264   | 2376   | 2.46" x 2.46" x 4.29" | 10.32" x 7.80" x 5.39" | 47.244" x 39.37" x 54.724" |
| 589747   | 046677589745 | 50046677589740 | 12       | 1.9844    | 264   | 2376   | 2.46" x 2.46" x 4.29" | 10.32" x 7.80" x 5.39" | 47.244" x 39.37" x 54.724" |
| 589754   | 046677589752 | 50046677589757 | 12       | 1.9844    | 264   | 2376   | 2.46" x 2.46" x 4.29" | 10.32" x 7.80" x 5.39" | 47.244" x 39.37" x 54.724" |

|        |              |                |   |        |     |      |                       |                       |                            |
|--------|--------------|----------------|---|--------|-----|------|-----------------------|-----------------------|----------------------------|
| 588939 | 046677588939 | 50046677588934 | 4 | 0.44   | 252 | 2520 | 2.44" x 2.44"x 4.21"  | 5.24" x 5.24"x 4.80"  | 47.244" x 39.37" x 54.213" |
| 589977 | 046677589974 | 50046677589979 | 4 | 0.44   | 252 | 2520 | 2.44" x 2.44"x 4.21"  | 5.24" x 5.24"x 4.80"  | 47.244" x 39.37" x 54.213" |
| 588947 | 046677588946 | 50046677588941 | 4 | 0.44   | 252 | 2520 | 2.44" x 2.44"x 4.21"  | 5.24" x 5.24"x 4.80"  | 47.244" x 39.37" x 54.213" |
| 588897 | 046677588892 | 50046677588897 | 4 | 0.5016 | 252 | 2520 | 2.44" x 2.44"x 4.21"  | 5.24" x 5.24"x 4.80"  | 47.244" x 39.37" x 54.213" |
| 588905 | 046677588908 | 50046677588903 | 4 | 0.5016 | 252 | 2520 | 2.44" x 2.44"x 4.21"  | 5.24" x 5.24"x 4.80"  | 47.244" x 39.37" x 54.213" |
| 588913 | 046677588915 | 50046677588910 | 4 | 0.5016 | 252 | 2520 | 2.44" x 2.44"x 4.21"  | 5.24" x 5.24"x 4.80"  | 47.244" x 39.37" x 54.213" |
| 588953 | 046677588953 | 50046677588958 | 4 | 0.6358 | 252 | 2268 | 2.46" x 2.46" x 4.69" | 5.28" x 5.28" x 5.32" | 47.244" x 39.37" x 54.016" |
| 588921 | 046677588922 | 50046677588927 | 4 | 0.6358 | 252 | 2268 | 2.46" x 2.46" x 4.69" | 5.28" x 5.28" x 5.32" | 47.244" x 39.37" x 54.016" |
| 588961 | 046677588960 | 50046677588965 | 4 | 0.6358 | 252 | 2268 | 2.46" x 2.46" x 4.69" | 5.28" x 5.28" x 5.32" | 47.244" x 39.37" x 54.016" |