

Transforming your spaces with connected lighting



SC200B

Day-Brite



FluxPanel LED Flat Panel

	Catalog Number	Description	12NC	DLC
DES	1FPZ30L835-4-ADS-UNV-DIM-SWZCS	1x4, 3000lm, 80CRI, 3500K, 0-10V, Interact Pro scalable	912401711130	S-2FVB8W
DES	1FPZ30L840-4-ADS-UNV-DIM-SWZCS	1x4, 4000lm, 80CRI, 4000K, 0-10V, Interact Pro scalable	912401711131	S-2Q6RMT
DES	2FPZ20L835-2-ADS-UNV-DIM-SWZCS	2x2, 2000lm, 80CRI, 3500K, 0-10V, Interact Pro scalable	912401711124	S-133VXC
DES	2FPZ20L840-2-ADS-UNV-DIM-SWZCS	2x2, 2000lm, 80CRI, 4000K, 0-10V, Interact Pro scalable	912401711125	S-7C6MNY
DES	2FPZ30L835-2-ADS-UNV-DIM-SWZCS	2x2, 3000lm, 80CRI, 3500K, 0-10V, Interact Pro scalable	912401711126	S-10TW0D
DES	2FPZ30L840-2-ADS-UNV-DIM-SWZCS	2x2, 3000lm, 80CRI, 4000K, 0-10V, Interact Pro scalable	912401711127	PWZHT777
	2FPZ38L835-2-ADS-UNV-DIM-SWZCS	2x2, 3800lm, 80CRI, 3500K, 0-10V, Interact Pro scalable	912401701585	S-RXCWC7
	2FPZ38L840-2-ADS-UNV-DIM-SWZCS	2x2, 3800lm, 80CRI, 4000K, 0-10V, Interact Pro scalable	912401701587	S-BRSYB5
	2FPZ30L835-4-ADS-UNV-DIM-SWZCS	2x4, 3000lm, 80CRI, 3500K, 0-10V, Interact Pro scalable	-	S-1KWQWW
	2FPZ30L840-4-ADS-UNV-DIM-SWZCS	2x4, 3000lm, 80CRI, 4000K, 0-10V, Interact Pro scalable	-	S-GTLF13
DES	2FPZ38L835-4-ADS-UNV-DIM-SWZCS	2x4, 3800lm, 80CRI, 3500K, 0-10V, Interact Pro scalable	912401711128	PF2DWF EZ
DES	2FPZ38L840-4-ADS-UNV-DIM-SWZCS	2x4, 3800lm, 80CRI, 4000K, 0-10V, Interact Pro scalable	912401711129	S-BRSYB5
	2FPZ43L835-4-ADS-UNV-DIM-SWZCS	2x4, 4300lm, 80CRI, 3500K, 0-10V, Interact Pro scalable	912401701589	S-TQZLKL
	2FPZ43L840-4-ADS-UNV-DIM-SWZCS	2x4, 4300lm, 80CRI, 4000K, 0-10V, Interact Pro scalable	912401701419	S-XFWMQ3

STO Ships in 2 days **DES** Ships in 5-10 days

Design Build Contractor Guide



Day-Brite

FluxGrid LED Recessed Troffer

	Catalog Number	Description	12NC	DLC
DES	1FGXG30L835-4-RS-UNV-DIM-SWZCS	1x4, 3000lm, 80CRI, 3500K, round smooth lens, UNV 120-277V, 0-10V, Interact Pro scalable	912401610608	S-CBULD8
DES	1FGXG30L840-4-RS-UNV-DIM-SWZCS	1x4, 3000lm, 80CRI, 4000K, round smooth lens, UNV 120-277V, 0-10V, Interact Pro scalable	912401607952	S-LBW8IH
	2FGXG20L840-2-RS-UNV-DIM-SWZCS	2x2, 2000lm, 80CRI, 4000K, round smooth lens, UNV 120-277V, 0-10V, Interact Pro scalable	912401608350	S-E971I5
STO	2FGXG30L835-2-RS-UNV-DIM-SWZCS	2x2, 3000lm, 80CRI, 3500K, round smooth lens, UNV 120-277V, 0-10V, Interact Pro scalable	912401608352	S-B92WQ3
STO	2FGXG30L840-2-RS-UNV-DIM-SWZCS	2x2, 3000lm, 80CRI, 4000K, round smooth lens, UNV 120-277V, 0-10V, Interact Pro scalable	912401607971	S-RHK1D6
	2FGXG20L835-4-RS-UNV-DIM-SWZCS	2x4, 2000lm, 80CRI, 3500K, round smooth lens, UNV 120-277V, 0-10V, Interact Pro scalable	-	-
	2FGXG20L840-4-RS-UNV-DIM-SWZCS	2x4, 2000lm, 80CRI, 4000K, round smooth lens, UNV 120-277V, 0-10V, Interact Pro scalable	-	-
STO	2FGXG38L835-4-RS-UNV-DIM-SWZCS	2x4, 3800lm, 80CRI, 3500K, round smooth lens, UNV 120-277V, 0-10V, Interact Pro scalable	912401607984	S-GK12HC
STO	2FGXG38L840-4-RS-UNV-DIM-SWZCS	2x4, 3800lm, 80CRI, 4000K, round smooth lens, UNV 120-277V, 0-10V, Interact Pro scalable	912401608354	S-46MNJ
	2FGXG43L840-4-RS-UNV-DIM-SWZCS	2x4, 4300lm, 80CRI, 4000K, round smooth lens, UNV 120-277V, 0-10V, Interact Pro scalable	912401608358	S-8MQ103

Day-Brite



FluxStream LED Wraparound

	Catalog Number	Description	12NC	DLC
DES	FSW430L835-UNV-DIM-SWZCS	4' length, 3000lm, 80CRI, 3500K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401607474	S-Y64CRE
DES	FSW430L840-UNV-DIM-SWZCS	4' length, 3000lm, 80CRI, 4000K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401607475	S-Z9IRY8
DES	FSW440L835-UNV-DIM-SWZCS	4' length, 4000lm, 80CRI, 3500K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401607476	S-7FB35E
DES	FSW440L840-UNV-DIM-SWZCS	4' length, 4000lm, 80CRI, 4000K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401607477	S-4OIM29
	FSW860L835-UNV-DIM-SWZCS	8' length, 6000lm, 80CRI, 3500K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401610687	S-WXF0NB
	FSW860L840-UNV-DIM-SWZCS	8' length, 6000lm, 80CRI, 4000K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401609167	S-E8MP96
	FSW880L835-UNV-DIM-SWZCS	8' length, 8000lm, 80CRI, 3500K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401607860	S-18EBQT
	FSW880L840-UNV-DIM-SWZCS	8' length, 8000lm, 80CRI, 4000K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401607861	S-MC5IAV

Day-Brite



FluxStream LED Strip

	Catalog Number	Description	12NC	DLC
DES	FSS430L835-UNV-DIM-SWZCS	4' length, 3000lm, 80CRI, 3500K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401609561	PDL8H582
DES	FSS430L840-UNV-DIM-SWZCS	4' length, 3000lm, 80CRI, 4000K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401607475	P4K71HXZ
	FSS440L835-UNV-DIM-SWZCS	4' length, 4000lm, 80CRI, 3500K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401607470	PNRFRWMO
	FSS440L840-UNV-DIM-SWZCS	4' length, 4000lm, 80CRI, 4000K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401607471	P40XK80B
	FSS880L835-UNV-DIM-SWZCS	8' length, 3500lm, 80CRI, 4000K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401609547	PJ6KEX1M
	FSS880L840-UNV-DIM-SWZCS	8' length, 4000lm, 80CRI, 4000K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401607473	P4OWVDZN
DES	FSS860L835-UNV-DIM-SWZCS	8' length, 6000lm, 80CRI, 3500K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401610687	P5HE682A
DES	FSS860L840-UNV-DIM-SWZCS	8' length, 6000lm, 80CRI, 4000K, universal voltage 120-277V, 0-10V dim., SR with Interact Pro sensor	912401607846	P8OBJQVS

Day-Brite



FluxSpace LED Linear

	Catalog Number	Description	12NC	DLC
DES	FLP220L840-R-UNV-DIM-SWZCS/S	2' Length, 2000lm, 80CRI, 4000K, UNV 120-277V, 0-10V, Interact, Round Lens	912401700577	S-A9IQUN
DES	FLP220L840-Q-UNV-DIM-SWZCS/S	2' Length, 2000lm, 80CRI, 4000K, UNV 120-277V, 0-10V, Interact, Square Lens	912401700578	S-CZ5QK0
DES	FLP230L840-Q-UNV-DIM-SWZCS/S	2' Length, 3000lm, 80CRI, 4000K, UNV 120-277V, 0-10V, Interact, Square Lens	912401700579	S-0EF7JK
DES	FLP430L835-R-UNV-DIM-SWZCS/S	4' Length, 3000lm, 80CRI, 4000K, UNV 120-277V, 0-10V, Interact, Round Lens	912401711258	S-T285QL
DES	FLP430L840-Q-UNV-DIM-SWZCS/S	4' Length, 3000lm, 80CRI, 4000K, UNV 120-277V, 0-10V, Interact, Square Lens	912401700581	S-WY4NE1

STO Ships in 2 days **DES** Ships in 5-10 days

Design Build Contractor Guide

Day-Brite



FluxSpace LED Linear (continued)

	Catalog Number	Description	12NC	DLC
DES	FLP430L840-R-UNV-DIM-SWZCS/S	4' Length, 4000lm, 80CRI, 4000K, UNV 120-277V, 0-10V, Interact, Round Lens	912401700580	S-YWDYN1
DES	FLP440L840-Q-UNV-DIM-SWZCS/S	4' Length, 4000lm, 80CRI, 4000K, UNV 120-277V, 0-10V, Interact, Square Lens	912401700584	S-VF756Y
DES	FLP860L835-R-UNV-DIM-SWZCS/S	8' Length, 6000lm, 80CRI, 3500K, UNV 120-277V, 0-10V, Interact, Round Lens	912401711259	S-852S1D
DES	FLP860L840-R-UNV-DIM-SWZCS/S	8' Length, 6000lm, 80CRI, 4000K, UNV 120-277V, 0-10V, Interact, Round Lens	912401700585	S-GEHINX
DES	FLP880L840-Q-UNV-DIM-SWZCS/S	8' Length, 8000lm, 80CRI, 4000K, UNV 120-277V, 0-10V, Interact, Square Lens	912401700590	S-FEIHZQ
DES	FLP860L840-U-UNV-DIM-SWZCS/S	8' Length, 6000lm, 80CRI, 4000K, UNV 120-277V, 0-10V, Interact, Uplight Lens	912401700588	S-V6AUNM
DES	FLP880L840-R-UNV-DIM-SWZCS/S	8' Length, 8000lm, 80CRI, 4000K, UNV 120-277V, 0-10V, Interact, Round Lens	912401700589	S-EQH60J
DES	FLP860L840-Q-UNV-DIM-SWZCS/S	8' Length, 6000lm, 80CRI, 4000K, UNV 120-277V, 0-10V, Interact, Square Lens	912401700586	S-P4K1IV

Day-Brite



EvoKit Click LED Troffer Retrofit Kit

	Catalog Number	Description	12NC	DLC
STO	EvoKit CLKE 1x4 32L TW UNV SWZCS P4	1x4, 3200lm, 80CRI, Tunable White, UNV 120-277V, 4-pack, Interact Pro scalable	929002757813	S-29X4JY
STO	EvoKit CLKE 1x4 32L 24W 840 UNV SWZCS P1	1x4, 3200lm, 80CRI, 4000K, UNV 120-277V, 1-pack, Interact Pro scalable	929002733813	P95MEW4K
STO	EvoKit CLKE 1x4 32L 24W 840 UNV SWZCS P4	1x4, 3200lm, 80CRI, 4000K, UNV 120-277V, 4-pack, Interact Pro scalable	929002740213	PWO0K1ZF
STO	EvoKit CLKE 2x2 32L TW UNV SWZCS P4	2x2, 3200lm, 80CRI, Tunable White, UNV 120-277V, Interact Pro scalable	929002757913	S-9CK2XY
STO	EvoKit CLKE 2x2 32L 24W 835 UNV SWZCS P1	2x2, 3200lm, 80CRI, 3500K, UNV 120-277V, 1-pack, Interact Pro scalable	929002734013	PYFQUQV4
STO	EvoKit CLKE 2x2 32L 24W 835 UNV SWZCS P4	2x2, 3200lm, 80CRI, 3500K, UNV 120-277V, 4-pack, Interact Pro scalable	929002740313	PG2IVTS2
STO	EvoKit CLKE 2x2 32L 24W 840 UNV SWZCS P1	2x2, 3200lm, 80CRI, 4000K, UNV 120-277V, 1-pack, Interact Pro scalable	929002734113	P2WPWOM3
STO	EvoKit CLKE 2x2 32L 24W 840 UNV SWZCS P4	2x2, 3200lm, 80CRI, 4000K, UNV 120-277V, 4-pack, Interact Pro scalable	929002733913	PJHZ10F4
STO	EvoKit CLKE 2x4 42L TW UNV SWZCS P4	2x4, 4200lm, 80CRI, Tunable White, UNV 120-277V, Interact Pro scalable	929002758113	S-LB1Q2A
STO	EvoKit CLKE 2x4 42L 29W 835 UNV SWZCS P1	2x4, 4200lm, 80CRI, 3500K, UNV 120-277V, 1-pack, Interact Pro scalable	929002734313	PTVG8GBH
STO	EvoKit CLKE 2x4 42L 29W 835 UNV SWZCS P4	2x4, 4200lm, 80CRI, 3500K, UNV 120-277V, 4-pack, Interact Pro scalable	929002740413	PO1HXM8O
STO	EvoKit CLKE 2x4 42L 29W 840 UNV SWZCS P1	2x4, 4200lm, 80CRI, 4000K, UNV 120-277V, 1-pack, Interact Pro scalable	929002734413	P4CU1BIE
STO	EvoKit CLKE 2x4 42L 29W 840 UNV SWZCS P4	2x4, 4200lm, 80CRI, 4000K, UNV 120-277V, 4-pack, Interact Pro scalable	929002734213	PIJTAVRN

Signify Interact

Accessories

	Catalog Number	Description	12NC	DLC
STO	UID8465/50	UID8465/50 ZGP 4B Scene Sel Eng	912401592572	DLC Networked Lighting Controls (NLC) qualified
STO	SWS201	SWS201 BP Switch WH	913701068413	
STO	RFSR20	RFSR20 Interact Ready RF Switch Relay	913701066813	
STO	IRT9015/00	IRT9015/00 Interact Retrofit	913700396703	
STO	SBAZ10-CS	System Bridge Accessory, 0-10V, Interact Pro sensor	912401050728	
STO	LCN1850/05	LCN1850/05 Wireless Gateway Pro	913701065313	
STO	ER100	UL924 Emergency Shunt ER100/00	913701057513	
STO	OCC 0100A/02 BP Sensor WH	OCC 0100A/02 BP Sensor WH	913701067013	
STO	OCC 0101A/02 DL BP Sensor WH	OCC 0101A/02 DL BP Sensor WH	913701067113	

STO Ships in 2 days **DES** Ships in 5-10 days

© 2025 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.

**GENLYTE
SOLUTIONS**
a **signify** business

Signify North America Corp.
400 Crossing Blvd, Suite 600
Bridgewater, NJ 08807
Telephone: 800-555-0050

Signify Canada Ltd.
281 Hillmount Road,
Markham, ON, Canada L6C 2S3
Telephone: 800-668-9008

All trademarks are owned by Signify Holding or their respective owners.