

**PHILIPS**

LED lamps

Contractor-grade



# Real pros use Philips LED lamps

© 2023 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.

Signify North America Corporation  
400 Crossing Blvd, Suite 600  
Bridgewater, NJ 08807  
Telephone: 800-555-0050

Signify Canada Ltd.  
281 Hillmount Road,  
Markham, ON, Canada L6C 2S3  
Telephone: 800-668-9008

Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V. All other trademarks are owned by Signify Holding or their respective owners.

# Every job, done right

**REAL  
PROs**  
**REAL  
QUALITY**

You're no handyman, you're a real professional. Someone who can be relied on to get the job done. Someone who plans well, executes fast and works efficiently.

LED technologies are rapidly changing, creating plenty of new opportunities. As a trusted name in lighting, we understand your challenges and can help you build your business & reputation. We know the importance of installing the lowest cost options to maintain profitability while still ensuring that you offer your customers a reliable product that will stand the test of time.

When you need to get the job done right, you can count on Philips LED lamps. Now offering a dedicated, affordable contractor-grade portfolio of LED Lamps.

**Real professionals**  
choose Philips LED lamps

# The right light for the right price

The Contractor-grade line of LED lamps offers reliable, lighting that meets industry efficiency standards and delivers the most affordable solutions from a trust-worthy brand leader.



**Philips quality**  
that meets your needs

- ✓ Focused product portfolio with attractive price points
- ✓ Easy 1:1 replacement of conventional lamps with fast ROI
- ✓ Product lifetimes fitting application and customer needs
- ✓ Multi-pack options to make installs faster



## Why choose MainsFit (UL Type-B) TLED lamps?

- Single ended and double ended for faster installs
- Proven over 40% energy savings<sup>1</sup> over fluorescent lamps
- Average life rating of 50,000 hours<sup>2</sup>
- UL Type B ballast bypass
- Emergency capable with Philips PTB15D, Bodine ELI-S-20 or ELI-S-100 EM drivers
- Glass tube construction



## Why choose Frosted BR30 LED lamps?

- Most cost-efficient option for basic lighting applications
- Dimmable & enclosed rated
- Average life rating of 15,000 hours<sup>1</sup>
- 2700K, 3000K, 4000K & 5000K CCT options
- Opportunity to expand into the Residential Market & Resi contractors



### Contractor-grade MainsFit (UL Type-B) TLED lamps



Cat. No.	Model No.	Product Description	Volts (V)	Watts (W)	Base	CRI (min)	CCT (K)	Lifespan (hrs)	Lumens (lm)	DLC ID	C/P Qty
610279	929004351104	13.4T8/CNG/48-835/MX17/G 25/1	120-277	13.4	G13	82	3500	50,000	1750	TBD	25
610287	929004351204	13.4T8/CNG/48-840/MX18/G 25/1	120-277	13.4	G14	82	4000	50,000	1800	TBD	25
610295	929004351304	13.4T8/CNG/48-850/MX18/G 25/1	120-277	13.4	G15	82	5000	50,000	1800	TBD	25
610300	929004351404	13.4T8/CNG/48-865/MX18/G 25/1	120-277	13.4	G16	82	6500	50,000	1800	TBD	25
610310	929004351504	15.3T8/CNG/48-835/MX20/G 25/1	120-277	15.3	G17	82	3500	50,000	2000	TBD	25
610329	929004351604	15.3T8/CNG/48-840/MX21/G 25/1	120-277	15.3	G18	82	4000	50,000	2100	TBD	25
610337	929004351704	15.3T8/CNG/48-850/MX21/G 25/1	120-277	15.3	G19	82	5000	50,000	2100	TBD	25

6NC	SKU UPC	Case UPC	Case Qty	Case Wt	Case Cube	Layer	Pallet	layers	SKU Dim	Case Dim	Pallet Dim
610287	046677610272	50046677610277	25	13.64	1.19	150	1050	10	47.7x1.1x1.1	49x6x7	49x40x49
610295	046677610289	50046677610284	25	13.64	1.19	150	1050	10	47.7x1.1x1.1	49x6x7	49x40x49
610300	046677610296	50046677610291	25	13.64	1.19	150	1050	10	47.7x1.1x1.1	49x6x7	49x40x49
610310	046677610302	50046677610307	25	13.64	1.19	150	1050	10	47.7x1.1x1.1	49x6x7	49x40x49
610329	046677610319	50046677610314	25	13.64	1.19	150	1050	10	47.7x1.1x1.1	49x6x7	49x40x49
610337	046677610326	50046677610321	25	13.64	1.19	150	1050	10	47.7x1.1x1.1	49x6x7	49x40x49
579060	046677610333	50046677610338	25	13.64	1.19	150	1050	10	47.7x1.1x1.1	49x6x7	49x40x49

1. Savings based on comparison to F32T8 electronic instant start systems.  
 2. Tested to B50 L70 requirement. LED lifetime means the length of time (in hours) until half of the LED light sources maintain at least 70% of their initial lumen output (B50, L70).

### Contractor-grade Frosted BR30 LED lamps (E26 base)



Cat. No.	Model No.	Product Description	Volts (V)	Watts (W)	Equivalent	CRI (min)	CCT (K)	Lifespan (hrs)	Lumens (lm)	Dimmable	T20 status
583583	929003619804	8.8BR30/CNG/827/FR/P/E26/DIM/120V 6/1CT	120	8.8	65	80	2700	15,000	650	Yes	No
583591	929003619904	8.8BR30/CNG/830/FR/P/E26/DIM/120V 6/1CT	120	8.8	65	80	3000	15,000	650	Yes	No
583609	929003620004	8.8BR30/CNG/840/FR/P/E26/DIM/120V 6/1CT	120	8.8	65	80	4000	15,000	650	Yes	No
583617	929003620104	8.8BR30/CNG/850/FR/P/E26/DIM/120V 6/1CT	120	8.8	65	80	5000	15,000	650	Yes	No
541010	929001947903	9BR30/LED/827/FR/P/ND 6/1FB	120	9	65	80	2700	11,000	650	No	No
576561	929001947993	9BR30/LED/827/FR/P/ND 4/3CT	120	9	65	80	2700	11,000	650	No	No

Cat. No.	SKU UPC	Case UPC	Case Qty	Case Wght	Layer	Pallet	SKU dimensions	Case dimensions	Pallet dimensions
583583	46677583583	50046677583588	6	1.4938	120	840	3.80" x 3.80" x 5.28"	11.81" x 7.95" x 5.95"	47.24" x 39.37" x 47.60"
583591	46677583590	50046677583595	6	1.4938	120	840	3.80" x 3.80" x 5.28"	11.81" x 7.95" x 5.95"	47.24" x 39.37" x 47.60"
583609	46677583606	50046677583601	6	1.4938	120	840	3.80" x 3.80" x 5.28"	11.81" x 7.95" x 5.95"	47.24" x 39.37" x 47.60"
583617	46677583613	50046677583618	6	1.4938	120	840	3.80" x 3.80" x 5.28"	11.81" x 7.95" x 5.95"	47.24" x 39.37" x 47.60"
541010	46677541019	50046677541014	6	1.903	120	960	3.58" x 3.58" x 5.16"	11.22" x 7.56" x 5.83"	47.24" x 39.37" x 52.76"
576561	46677576561	50046677576566	4	3.56	60	360	3.74" x 7.28" x 7.05"	15.67" x 7.76" x 7.72"	47.24" x 39.37" x 52.09"

1. Tested to B50 L70 requirement. LED lifetime means the length of time (in hours) until half of the LED light sources maintain at least 70% of their initial lumen output (B50, L70).

# PHILIPS

Contractor-grade

Frosted A-shape LED lamps



# PHILIPS

Contractor-grade

Frosted A-shape LED lamps



## Why choose Frosted A-shape LED lamps?

- Up to 35% cost savings compared to Core Pro A-shape lamps
- Ideal for residential and multi-family applications
- Lamps suitable for enclosed fixtures
- Select lamps Title 20 qualified for California applications
- Dimmable/non-dim portfolio



## Why choose Frosted A-shape LED lamps?

- Up to 35% cost savings compared to Core Pro A-shape lamps
- Ideal for residential and multi-family applications
- Lamps suitable for enclosed fixtures
- Select lamps Title 20 qualified for California applications
- Dimmable/non-dim portfolio



### Contractor-grade Frosted A-shape Dimmable LED Lamps (E26 base)

Cat. No.	Model No.	Product Description	Volts (V)	Watts (W)	Equivalent	CRI (min)	CCT (K)	Lifespan (hrs)	Lumens (lm)	Dimmable	T20 status
589606	929003750964	5A19/CNG/827/FR/P/E26/D 12/1CT	120	5	40	80	2700	15,000	450	Yes	No
589614	929003751064	5A19/CNG/830/FR/P/E26/D 12/1CT	120	5	40	80	3000	15,000	450	Yes	No
589622	929003751164	5A19/CNG/840/FR/P/E26/D 12/1CT	120	5	40	80	4000	15,000	450	Yes	No
589630	929003751264	5A19/CNG/850/FR/P/E26/D 12/1CT	120	5	40	80	5000	15,000	450	Yes	No
589648	929003579564	8.8A19/CNG/827/FR/P/E26/D 12/1CT	120	8.8	60	80	2700	15,000	800	Yes	No
589663	929003584864	8.8A19/CNG/830/FR/P/E26/D 12/1CT	120	8.8	60	80	3000	15,000	800	Yes	No
589671	929003584964	8.8A19/CNG/840/FR/P/E26/D 12/1CT	120	8.8	60	80	4000	15,000	800	Yes	No
589655	929003579664	8.8A19/CNG/850/FR/P/E26/D 12/1CT	120	8.8	60	80	5000	15,000	800	Yes	No
589689	929003751764	11A19/CNG/827/FR/P/E26/D 12/1CT	120	11	75	80	2700	15,000	1100	Yes	No
589697	929003751864	11A19/CNG/830/FR/P/E26/D 12/1CT	120	11	75	80	3000	15,000	1100	Yes	No
589705	929003751964	11A19/CNG/840/FR/P/E26/D 12/1CT	120	11	75	80	4000	15,000	1100	Yes	No
589713	929003752064	11A19/CNG/850/FR/P/E26/D 12/1CT	120	11	75	80	5000	15,000	1100	Yes	No
589721	929003585064	14A19/CNG/827/FR/P/E26/D 12/1CT	120	14	100	80	2700	15,000	1500	Yes	No
589739	929003585164	14A19/CNG/830/FR/P/E26/D 12/1CT	120	14	100	80	3000	15,000	1500	Yes	No
589747	929003585264	14A19/CNG/840/FR/P/E26/D 12/1CT	120	14	100	80	4000	15,000	1500	Yes	No
589754	929003585364	14A19/CNG/850/FR/P/E26/D 12/1CT	120	14	100	80	5000	15,000	1500	Yes	No

### Contractor-grade Non-Dimmable A19 Lamps (E26)

588939	929002311364	9A19/CNG/827/FR/P/E26/ND 4/1CT	120	9	60	80	2700	15,000	800	No	No
589977	929002475464	9A19/CNG/830/FR/P/E26/ND 4/1CT	120	9	60	80	3000	15,000	800	No	No
588947	929002311464	9A19/CNG/850/FR/P/E26/ND 4/1CT	120	9	60	80	5000	15,000	800	No	No
588897	929002311564	10A19/CNG/827/FR/P/E26/ND 4/1CT	120	10	75	80	2700	15,000	1000	No	No
588905	929003798364	10A19/CNG/830/FR/P/E26/ND 4/1CT	120	10	75	80	3000	15,000	1000	No	No
588913	929002311664	10A19/CNG/850/FR/P/E26/ND 4/1CT	120	10	75	80	5000	15,000	1000	No	No
588953	929002311764	14A19/CNG/827/FR/P/E26/ND 4/1CT	120	14	100	80	2700	15,000	1500	No	No
588921	929003798464	14A19/CNG/830/FR/P/E26/ND 4/1CT	120	14	100	80	3000	15,000	1500	No	No
588961	929002311864	14A19/CNG/850/FR/P/E26/ND 4/1CT	120	14	100	80	5000	15,000	1500	No	No

### Contractor-grade Frosted A-shape LED lamps (E26 base)

Cat. No.	SKU UPC	Case UPC	Case Qty	Case Wght	Layer	Pallet	Sku dimensions	Case dimensions	Pallet dimensions
589606	046677589608	50046677589603	12	1.4014	300	3000	2.40" x 4.0" x 4.2"	10.00" x 7.56" x 4.76"	47.244" x 39.37" x 54.213"
589614	046677589615	50046677589610	12	1.4014	300	3000	2.40" x 2.40" x 4.21"	10.00" x 7.56" x 4.76"	47.244" x 39.37" x 54.213"
589622	046677589622	50046677589627	12	1.4014	300	3000	2.40" x 2.40" x 4.21"	10.00" x 7.56" x 4.76"	47.244" x 39.37" x 54.213"
589630	046677589639	50046677589634	12	1.4014	300	3000	2.40" x 2.40" x 4.21"	10.00" x 7.56" x 4.76"	47.244" x 39.37" x 54.213"
589648	046677589646	50046677589641	12	1.4014	300	3000	2.40" x 2.40" x 4.21"	10.00" x 7.56" x 4.76"	47.244" x 39.37" x 54.213"
589663	046677589660	50046677589665	12	1.4014	300	3000	2.40" x 2.40" x 4.21"	10.00" x 7.56" x 4.76"	47.244" x 39.37" x 54.213"
589671	046677589677	50046677589672	12	1.4014	300	3000	2.40" x 2.40" x 4.21"	10.00" x 7.56" x 4.76"	47.244" x 39.37" x 54.213"
589655	046677589653	50046677589658	12	1.4014	300	3000	2.40" x 2.40" x 4.21"	10.00" x 7.56" x 4.76"	47.244" x 9.37" x 54.213"
589689	046677589684	50046677589689	12	1.5598	300	3000	2.40" x 2.40" x 4.21"	10.00" x 7.56" x 4.76"	47.244" x 39.37" x 54.213"
589697	046677589691	50046677589696	12	1.5598	300	3000	2.40" x 2.40" x 4.21"	10.00" x 7.56" x 4.76"	47.244" x 39.37" x 54.213"
589705	046677589707	50046677589702	12	1.5598	300	3000	2.40" x 2.40" x 4.21"	10.00" x 7.56" x 4.76"	47.244" x 39.37" x 54.213"
589713	046677589714	50046677589719	12	1.5598	300	3000	2.40" x 2.40" x 4.21"	10.00" x 7.56" x 4.76"	47.244" x 39.37" x 54.213"
589721	046677589721	50046677589726	12	1.9844	264	2376	2.46" x 2.46" x 4.29"	10.32" x 7.80" x 5.39"	47.244" x 39.37" x 54.724"
589739	046677589738	50046677589733	12	1.9844	264	2376	2.46" x 2.46" x 4.29"	10.32" x 7.80" x 5.39"	47.244" x 39.37" x 54.724"
589747	046677589745	50046677589740	12	1.9844	264	2376	2.46" x 2.46" x 4.29"	10.32" x 7.80" x 5.39"	47.244" x 39.37" x 54.724"
589754	046677589752	50046677589757	12	1.9844	264	2376	2.46" x 2.46" x 4.29"	10.32" x 7.80" x 5.39"	47.244" x 39.37" x 54.724"

588939	046677588939	50046677588934	4	0.44	252	2520	2.44" x 2.44" x 4.21"	5.24" x 5.24" x 4.80"	47.244" x 39.37" x 54.213"
589977	046677588974	50046677588979	4	0.44	252	2520	2.44" x 2.44" x 4.21"	5.24" x 5.24" x 4.80"	47.244" x 39.37" x 54.213"
588947	046677588946	50046677588941	4	0.44	252	2520	2.44" x 2.44" x 4.21"	5.24" x 5.24" x 4.80"	47.244" x 39.37" x 54.213"
588897	046677588892	50046677588897	4	0.5016	252	2520	2.44" x 2.44" x 4.21"	5.24" x 5.24" x 4.80"	47.244" x 39.37" x 54.213"
588905	046677588908	50046677588903	4	0.5016	252	2520	2.44" x 2.44" x 4.21"	5.24" x 5.24" x 4.80"	47.244" x 39.37" x 54.213"
588913	046677588915	50046677588910	4	0.5016	252	2520	2.44" x 2.44" x 4.21"	5.24" x 5.24" x 4.80"	47.244" x 39.37" x 54.213"
588953	046677588953	50046677588958	4	0.6358	252	2268	2.46" x 2.46" x 4.69"	5.28" x 5.28" x 5.32"	47.244" x 39.37" x 54.016"
588921	046677588922	50046677588927	4	0.6358	252	2268	2.46" x 2.46" x 4.69"	5.28" x 5.28" x 5.32"	47.244" x 39.37" x 54.016"
588961	046677588960	50046677588965	4	0.6358	252	2268	2.46" x 2.46" x 4.69"	5.28" x 5.28" x 5.32"	47.244" x 39.37" x 54.016"