GENLYTE SOLUTIONS

a signify business




Field Selectable Stock Ready Guide

2026









With the unique convenience of adjustable color temperatures and/or lumen outputs, our new field selectable product line makes it easy to always have the right product for the job.



Contractor-grade InstantFit Circline LED lamps
with selectable CCT



Consumer LED A19 bulbs & PAR lamps
with selectable CCT



FlexFit (Hor/Ver adj.) PLED lamps
with selectable CCT

NEW



FlexFit (Type A+B) TLED lamps
with selectable CCT



FlexFit U-Bend LED lamps
with selectable CCT & lumen



CorePro MainsFit (Type-B) TLED lamps
with selectable CCT, lumen & base



MasterClass LED corn cob lamps
with selectable CCT & wattage



CorePro MainsFit PLED lamps
with selectable CCT



MainsFit PL-L LED lamps
with selectable CCT



MasterClass high wattage LED corn cob lamps
with selectable CCT & lumen

Field Selectable products give you the added benefit of carrying one SKU versus multiple SKUs, keeping your inventory low and turns high. These field selectable products are priced right and are all part of our Ready to go offering!

Learn more about additional Ready to go offerings at:
https://www.signify.com/en-ca/support/readytogo



FlexFit
(Type A+B) TLED lamps
with selectable CCT



FlexFit
(PL-C/T) PLED lamps
with selectable CCT



FlexFit
U-Bend LED lamps
with selectable CCT & lumen

Lamp Type	Product No. (6nc)	Model No. (12nc)	Description	Watts (W)	Lumens (lm)	CCT (K)	Life[1] (hrs)	Price
2FT T8	588624	929003794504	7.5T8/COR/24-5CCT/FF11/G/DIM 25/1	7.5	1100	3000/3500/4000/5000/6500	50,000	
3FT T8	588632	929003794604	10.5T8/COR/36-5CCT/FF15/G/DIM 25/1	10.5	1500	3000/3500/4000/5000/6500	50,000	
4FT T8	588640	929003794704	12T8/COR/48-5CCT/FF18/G/DIM 25/1	12	1800	3000/3500/4000/5000/6500	50,000	
4FT T8	610634	929004323104	14T8/MAS/48-5CCT/FF21/P/DIM 25/1	14	2100	3000/3500/4000/5000/6500	70,000	
PL-C/T	589788	929003807304	16PL-C/T/COR/42HV-5CCT/FF18/4P 10/1	16	1850	2700/3000/3500/4000/5000	50,000	
LS 1-5/8 IN U-BEND T8	606150	929004257834	15T8-1U/COR/24-5CCT/FF22/G 10/1	15	1800/2000/2200	3000/3500/4000/5000/6500	50,000	
LS 6IN U-BEND T8	606582	929004236104	15T8-6U/COR/24-5CCT/FF22/G 10/1	15	1800/2000/2200	3000/3500/4000/5000/6500	50,000	



CorePro MainsFit
(Type-B) TLED lamps
with selectable CCT, lumen & base

Lamp Type	Product No. (6nc)	Model No. (12nc)	Description	Watts (W)	Lumens (lm)	CCT (K)	Life[1] (hrs)	Price
1.5FT T8	592758	929004244604	7T8/COR/18-5CCT/MF9/G 25/1	7	900	3000/3500/4000/5000/6500	50,000	
2FT T8 (120-347V)	588582	929003795704	7T8/COR/24-5CCT/MF9/G/120-347V 25/1	7	950	3000/3500/4000/5000/6500	50,000	
3FT T8 (120-347V)	588590	929003795804	12T8/COR/36-5CCT/MF15/G/120-347V 25/1	12	1550	3000/3500/4000/5000/6500	50,000	
SB LS 8FT T8	589804	929003815504	40T8/COR/96-5CCT/MF55LS/G/FA8-R17D 10/1	40	5500	3000/3500/4000/5000/6500	50,000	
1FT T5	592766	929004235004	4.5T5HE/COR/12-5CCT/MF5/G 25/1	4.5	500	3000/3500/4000/5000/6500	50,000	
2FT T5	592774	929004235104	9T5HE/COR/22-5CCT/MF12/G 25/1	9	1200	3000/3500/4000/5000/6500	50,000	
3FT T5	592782	929004235204	12T5HE/COR/34-5CCT/MF16/G 25/1	12	1600	3000/3500/4000/5000/6500	50,000	
4FT T5	592790	929004235304	13T5HE/COR/46-5CCT/MF18/G 25/1	13	1800	3000/3500/4000/5000/6500	50,000	



Contractor-grade InstantFit
Circline LED lamps
with selectable CCT

Lamp Type	Product No. (6nc)	Model No. (12nc)	Description	Watts (W)	Lumens (lm)	CCT (K)	Life[1] (hrs)	Price
8IN CIRCLINE	588095	929003740604	11CIR/CNG/8-4CCT/IF12/P/G10q 6/1	11	1200	3000/3500/4000/5000	50,000	
12IN CIRCLINE	588103	929003740704	16CIR/CNG/12-4CCT/IF17/P/G10q 6/1	16	1700	3000/3500/4000/5000	50,000	
16IN CIRCLINE	605010	929004236004	22CIR/CNG/16-4CCT/IF26/P/G10q 6/1	22	2600	3000/3500/4000/5000	50,000	



MainsFit CorePro
PLED lamps
with selectable CCT

Lamp Type	Product No. (6nc)	Model No. (12nc)	Description	Watts (W)	Lumens (lm)	CCT (K)	Life[1] (hrs)	Price
PL-L	607127	929004602404	8PL-L/COR/18-5CCT/MF9/G/4P 10/1	8	900	2700/3000/3500/4000/5000	50,000	
PL-L	607135	929004602504	10PL-L/COR/24-5CCT/MF11/G/4P 10/1	10	1100	2700/3000/3500/4000/5000	50,000	
PL-L	607143	929004602604	16PL-L/COR/36-5CCT/MF20/G/4P 10/1	16	2000	2700/3000/3500/4000/5000	50,000	
PL-L	607150	929004602704	18PL-L/COR/55-5CCT/MF28/G/4P 10/1	18	2800	2700/3000/3500/4000/5000	50,000	
PL-S	606566	929004582904	5PL-S/COR/9H-5CCT/MF5/P/2P 20/1	5	500	2700/3000/3500/4000/5000	50,000	
PL-S	606574	929004583004	6PL-S/COR/13H-5CCT/MF6/P/2P 20/1	6	600	2700/3000/3500/4000/5000	50,000	
PL-C/T	577908	929003477704	8PL-C/T/COR/26V-3CCT/MF10/P/20/1	8	1000	3000/3500/4000	30,000	
PL-C/T	577890	929003477604	8PL-C/T/COR/26H-3CCT/MF10/P/20/1	8	1000	3000/3500/4000	30,000	
PL-C/T	577924	929003477904	11PL-C/T/COR/32V-3CCT/MF15/P/20/1	11	1500	3000/3500/4000	30,000	
PL-C/T	577916	929003477804	11PL-C/T/COR/32H-3CCT/MF15/P/20/1	11	1500	3000/3500/4000	30,000	

1. LED lifetime means the length of time (in hours) until half of the LED light sources maintain at least 70% of their initial lumen output (B50, L70). Lamps rated 50,000 hours is for bare lamp without fixture. MasterClass corn cob LED HID replacement lamps are damp location rated and suitable for enclosed fixtures.

LS = Lumen Selectable SB = Selectable base; option of FA8 (single-pin) or R17d (high output)

Philips field selectable lamps



CorePro

LED corn cob HID replacement lamps
with selectable CCT & wattage

	Lamp Type	Product No. (6nc)	Model No. (12nc)	Description	Watts (W)	Replace Watts (W)	Lumens (lm)	CCT (K)	Life[1] (hrs)	Price
LS	HID CC	606250	929004257904	18-12-9CC/LED/3PW/3CCT/E26 BB 6/1	18/12/9	50MH	**5000K:** 2400/1600/1200 **3000K:** 2200/1450/1100	3000/4000/5000	50,000	
LS	HID CC	606269	929004258004	27-18-12CC/LED/3PW/3CCT/E26 BB 6/1	27/18/12	70MH/50HPS	**5000K:** 3800/2500/1600 **3000K:** 3600/2400/1500	3000/4000/5000	50,000	
LS	HID CC	606228	929004258104	36-27-18CC/LED/3PW/3CCT/E26 BB 6/1	36/27/18	100MH/70HPS	**5000K:** 5000/3800/2500 **3000K:** 4800/3600/2400	3000/4000/5000	50,000	
LS	HID CC	606236	929004258204	36-27-18CC/LED/3PW/3CCT/Ex39 BB 3/1	36/27/18	100MH/70HPS	**5000K:** 5000/3800/2500 **3000K:** 4800/3600/2400	3000/4000/5000	50,000	
LS	HID CC	606244	929004258304	54-45-36CC/LED/3PW/3CCT/Ex39 BB 3/1	54/45/36	175MH/100HPS	**5000K:** 7500/6200/5000 **3000K:** 7000/5850/4700	3000/4000/5000	50,000	



MasterClass

high wattage LED corn cob lamps
with selectable CCT and/or lumen

	Lamp Type	Product No. (6nc)	Model No. (12nc)	Description	Watts (W)	Replace Watts (W)	Lumens (lm)	CCT (K)	Life[1] (hrs)	Price
LS	HID CC	583682	929003631404	80CC/LED/3CCT/LS EX39 BB 3/1	80	250	11500/12000/12000	3000/4000/5000	50,000	
LS	HID CC	583690	929003631504	115CC/LED/3CCT/LS EX39 BB 3/1	115	320	15800/17000/17000	3000/4000/5000	50,000	
LS	HID CC	583708	929003631604	145CC/LED/3CCT/LS EX39 BB 3/1	145	400	20500/22000/22000	3000/4000/5000	50,000	
LS	HID CC	607424	929004280404	180-130-100CC/LED/3PW/740/EX39 BB 3/1	180/130/100	MH 350-400W; HPS 250-400W	30000/23000/18000	4000	50,000	
LS	HID CC	607432	929004280504	180-130-100CC/LED/3PW/750/EX39 BB 3/1	180/130/100	MH 350-400W; HPS 250-400W	30000/23000/18000	5000	50,000	
LS	HID CC	610733	929004430904	410-320-250CC/LED/3PW/740/ EX39 BB 3/1	410/320/250	MH 1000W 750W 400W/ HPS 750W 600W	65000/53500/42500	4000	50,000	
LS	HID CC	610741	929004431004	410-320-250CC/LED/3PW/750/ EX39 BB 3/1	410/320/250	MH 1000W 750W 400W/ HPS 750W 600W	65000/53500/42500	5000	50,000	



Consumer LED

A19 bulbs & PAR lamps
with selectable CCT


Lamp Type	Product No. (6nc)	Model No. (12nc)	Description	Watts (W)	Replace Watts (W)	Lms (lm)	CRI (min)	CCT (K)	Life[1] (hrs)	Price
BR30	583161	929003620203	7.2BR30/DipS/5CCT/P/E26/DIM/T20 2/3CT	7.2	65	650	90	2700/3000/3500/ 4000/5000	15,000	
A19	610857	929003620334	8A19/COR/DipS/5CCT/FR/P/E26/DIM/T20 1CT	8	60	800	90	2700/3000/3500/ 4000/5000	15,000	
A19	610865	929003620434	14A19/COR/DipS/5CCT/FR/P/E26/DIM/T20 1CT	14	100	1500	90	2700/3000/3500/ 4000/5000	15,000	
PAR38	586479	929003741003	10PAR38/90W/DipS/5CCT/40D/D/P/E26/T20	10	90	900	90	2700/3000/3500/ 4000/5000	15,000	

1. LED lifetime means the length of time (in hours) until half of the LED light sources maintain at least 70% of their initial lumen output (B50, L70). Lamps rated 50,000 hours is for bare lamp without fixture. MasterClass corn cob LED HID replacement lamps are damp location rated and suitable for enclosed fixtures.

LS = Lumen Selectable















A long history of excellence

A legacy of innovation, disruption, and lighting manufacturing in North America spanning over 120 years, Genlyte Solutions and its collection of cutting-edge indoor and outdoor luminaires, LED lamps, and connected lighting systems and controls brands are leading the transformation of lighting and sustainable values for the modern world.

These brands include Lightolier, Day-Brite CFI, Ledalite, Lumec, Hadco, Gardco, Keene, Bodine, and Alkco. Signify lighting controls and IoT platform (Philips Dynalite, Interact and BrightSites), as well as the architectural lighting brand Color Kinetics and LED lamps and Electronics under the Philips and Advance brands.

Quick and reliable service out of our two distribution centers and two manufacturing facilities.



Find just what you need

Our Stock Ready portfolio makes it easy to find just what you need. Our products are designed for easy ordering through the **MyLighting** portal. Stock Ready products are easy to install with minimal steps, and competitively priced to meet the demands of budget conscious projects focused on cost and energy. Distributors can also benefit from our Stock Ready program which offers deals on freight, guaranteed sales, price change reimbursement, delistment notifications, marketing support, merchandising, and more.

Certifications & labels

IC INSULATION CONTACT · WET LOCATION · RoHS COMPLIANT · C SP US · NSF · DLC LISTED · DLC LISTED PREMIUM · CCT with Select Switch · Lumen Select Switch · UN3 Universal 120-347V · ENERGY STAR · interact ready.

Fewer SKUs = Greater Profits

With the unique convenience of adjustable color temperatures and/or lumen outputs, our new field selectable product line makes it easy to always have the right product for the job.

Field Selectable products give you the added benefit of carrying one SKU versus multiple SKUs, keeping your inventory low and turns high. These field selectable products are priced right and are all part of our Stock Ready offering!

Learn more about additional QuickShip offerings at **www.signify.com/quickship**

LIGHTOLIER



Flat Downlight
LED dual select



Commercial Retrofit Downlight
LED dual select



Residential Retrofit Downlight
LED select

Surface Mount Downlight
LED dual select



ModuLyte
LED dual select



Gimbal & Downlight
LED dual select

Day-Brite CFI



SDS Selectable Strip
LED dual select



NWL Wraparound
LED dual select



VTS Vaportight
LED dual select



FCY Value High Bay
LED dual select



SBP Selectable Backlit Panel
LED dual select



DSRT Selectable Troffer
LED dual select

EvoKit Click retrofit kit
LED dual select

KEENE



HCY Sealed High Bay
LED dual select



Slim Flood
LED dual select



Wall Pack
LED dual select



Garage & Canopy
LED dual select



Adjustable Slim Wall Pack
LED dual select



Residential Wall Pack
LED dual select



LytePro Area Light
LED select

Lightolier field selectable luminaires



Flat Downlight LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
FD24R9ESCT1W	Flat Downlight R DS 4" 900lm 5CCT 120V	900	11	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198139	
FD24RSLMZ10SCTUW	Flat Downlight R DS 4" 600-900lm 5CCT UNV	600/900	6-8	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096197927	
FD25R91ESCT1W	Flat Downlight R DS 5" 900lm 5CCT 120V	900	11	2700/3000/3500/4000/5000	90	120v	TRIAC to 5%	190096198146	
FD26R12ESCT1W	Flat Downlight R DS 6" 1200lm 5CCT 120V	1200	15	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198153	
FD26RSLMZ10SCTUW	Flat Downlight R DS 6" 900-1200lm 5CCT UNV	900/1200	11-15	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096197934	
FD28R20ESCT1W	Flat Downlight R DS 8" 2000lm 5CCT 120V	2000	24	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198160	
FD28RSLMZ10SCTUW	Flat Downlight R DS 8" 1300-2000lm 5CCT UNV	1300/2000	15-24	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096197941	
DSAEC20	20" Extension Cord	N/A	N/A	N/A	N/A	N/A	N/A	190096196258	
DSANCPR468	5" Round Plate for new construction	N/A	N/A	N/A	N/A	N/A	N/A	190096196272	
DSANCPR5	4" 6" 8" Round Plate for new construction	N/A	N/A	N/A	N/A	N/A	N/A	190096196289	
DSFD4RTBK	4" Round Flat Downlight Trim Black	N/A	N/A	N/A	N/A	N/A	N/A	190096196326	
DSFD5RTBK	5" Round Flat Downlight Trim Black	N/A	N/A	N/A	N/A	N/A	N/A	190096196333	
DSFD6RTBK	6" Round Flat Downlight Trim Black	N/A	N/A	N/A	N/A	N/A	N/A	190096196340	
DSFD8RTBK	8" Round Flat Downlight Trim Black	N/A	N/A	N/A	N/A	N/A	N/A	190096196357	

Surface Mount Downlight LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
SD25R7ESCT1W	Surface Mount R DS 5" 700LM 5CCT 120V	700	9	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198269	
SD25RSLMZ10SCTUW	Surface Mount R DS 5" 500-700LM 5CCT UNV	500/700	6-9	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096198047	
SD27R9ESCT1W	Surface Mount R DS 7" 900LM 5CCT 120V	900	11	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198276	
SD27RSLMZ10SCTUW	Surface Mount R DS 7" 700-900LM 5CCT UNV	700/900	9-11	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096198054	
SD29R11ESCT1W	Surface Mount R DS 9" 1100LM 5CCT 120V	1100	14	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198283	
SD29RSLMZ10SCTUW	Surface Mount R DS 9" 900-1100LM 5CCT UNV	900/1100	11-14	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096198061	
SD211R16ESCT1W	Surface Mount R DS 11" 1600LM 5CCT 120V	1600	19	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198290	
SD211RSLMZ10SCTUW	Surface Mount R DS 11" 1300-1600LM 5CCT UNV	1300/1600	15-19	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096198078	
SD214R18ESCT1W	Surface Mount R DS 14" 1800LM 5CCT 120V	1800	21	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198306	
SD214RSLMZ10SCTUW	Surface Mount R DS 14" 1500-1800LM 5CCT UNV	1500/1800	18-21	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096198085	



Commercial Retrofit Downlight LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
CR4RLMCCT	4in round LED downlight; Dual Select	700	9	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096131266	
CR6RLMCCT	6in round LED downlight; Dual Select	900	10	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096131273	
CR8RLMCCT	8in round LED downlight; Dual Select	1300	18	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096131280	
CR10RLMCCT	10in round LED downlight; Dual Select	1500/2000	15–20	2700/3000/3500/4000/5000	90	120–277V	0–10V	190096131297	



Residential Retrofit Downlight LED select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
RD24R8E301W	Retrofit DL 4" Rd 800lm 90 30K 120V	800	10	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198108	
RD24R8ESCT1W	Retrofit DL 4" Rd 800lm 90 5CCT 120V	800	10	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198092	
RD256R11E301W	Retrofit DL 6" Rd 1100lm 90 30K 120V	1100	13	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198122	
RD256R11ESCT1W	Retrofit DL 6" Rd 1100lm 90 5CCT 120V	1100	13	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198115	
RD4RN	Retrofit DL 4" Frame-in kit housing	N/A	N/A	N/A	N/A	N/A	N/A	190096196579	
RD4RR	Retrofit DL 4" Remodeler housing	N/A	N/A	N/A	N/A	N/A	N/A	190096196586	
RD6RN	Retrofit DL 6" Frame-in kit housing	N/A	N/A	N/A	N/A	N/A	N/A	190096196593	
RD6RR	Retrofit DL 6" Remodeler housing	N/A	N/A	N/A	N/A	N/A	N/A	190096196609	



Downlight LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
DL23R5ESCT1W	Downlight R DS 3" 500lm 5CCT 120V	500	6	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198238	
DL23RSLMZ10SCTUW	Downlight R DS 3" 350-500lm 5CCT UNV	500/700	4-6	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096198016	
DL24R10ESCT1W	Downlight R DS 4" 1000lm 5CCT 120V	1000	12	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198245	
DL24RSLMZ10SCTUW	Downlight R DS 4" 700-1000lm 5CCT UNV	700/1000	9-12	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096198023	
DL26R12ESCT1W	Downlight R DS 6" 1200lm 5CCT 120V	1200	15	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198252	
DL26RSLMZ10SCTUW	Downlight R DS 6" 900-1200lm 5CCT UNV	900/1200	11-15	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096198030	
DSAEC20	20" Extension Cord	N/A	N/A	N/A	N/A	N/A	N/A	190096196258	
DSANCPR346	3" 4" 6" Round Plate for new construction	N/A	N/A	N/A	N/A	N/A	N/A	190096196265	
DSANCPR468	4" 6" 8" Round Plate for new construction	N/A	N/A	N/A	N/A	N/A	N/A	190096196289	

Lightolier field selectable luminaires



Gimbal LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
GB23R5ESCT1W	Gimbal R DS 3" 500lm 5CCT 120V	500	6	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198177	
GB24R6ESCT1BK	Gimbal R DS 4" 600lm 5CCT 120V BK	600	9	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198214	
GB24RSLMZ10SCTUBK	Gimbal R DS 4" 425-600lm 5CCT UNV BK	425/600	6-9	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096197996	
GB26R11ESCT1BK	Gimbal R DS 6" 1105lm 5CCT 120V BK	1105	16	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198221	
GB26RSLMZ10SCTUBK	Gimbal R DS 6" 850-1105lm 5CCT UNV BK	850/1105	12-16	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096198009	
DSAEC20	20" Extension Cord	N/A	N/A	N/A	N/A	N/A	N/A	190096196258	
DSANCPR346	3" 4" 6" Round Plate for new construction	N/A	N/A	N/A	N/A	N/A	N/A	190096196265	
DSANCPR468	4" 6" 8" Round Plate for new construction	N/A	N/A	N/A	N/A	N/A	N/A	190096196289	



ModuLyte LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
ModuLyte									
M4RDL259CSWCDZ10U	4in ModuLyte LED downlight; Selectable	1500/2000/2500	25	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192809	
M4RDL259CSWCLZ10U	4in ModuLyte LED downlight; Selectable	1500/2000/2500	25	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192793	
M4RDL259CSWWHZ10U	4in ModuLyte LED downlight; Selectable	1500/2000/2500	25	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192816	
M6RDL259CSWCDZ10U	6in ModuLyte LED downlight; Selectable	1500/2000/2500	25	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192830	
M6RDL259CSWCLZ10U	6in ModuLyte LED downlight; Selectable	1500/2000/2500	25	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192823	
M6RDL259CSWWHZ10U	6in ModuLyte LED downlight; Selectable	1500/2000/2500	25	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192847	
M6RDL409CSMCDZ10U	6in ModuLyte LED downlight; Selectable	3000/3500/4000	40	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192861	
M6RDL409CSMCLZ10U	6in ModuLyte LED downlight; Selectable	3000/3500/4000	40	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192854	
M6RDL409CSMWHZ10U	6in ModuLyte LED downlight; Selectable	3000/3500/4000	40	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192878	
M8RDL259CSWCDZ10U	8in ModuLyte LED downlight; Selectable	1500/2000/2500	25	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192892	
M8RDL259CSWCLZ10U	8in ModuLyte LED downlight; Selectable	1500/2000/2500	25	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192885	
M8RDL259CSWWHZ10U	8in ModuLyte LED downlight; Selectable	1500/2000/2500	25	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192908	
M8RDL409CSMCDZ10U	8in ModuLyte LED downlight; Selectable	3000/3500/4000	40	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192922	
M8RDL409CSMCLZ10U	8in ModuLyte LED downlight; Selectable	3000/3500/4000	40	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192915	
M8RDL409CSMWHZ10U	8in ModuLyte LED downlight; Selectable	3000/3500/4000	40	2700/3000/3500/4000/5000	90	120-277V	0-10V	190096192939	

Lightolier field selectable luminaires



Fire Rated Flat Downlight

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
FR4R10ESCT1W	Flat DL Fire Rated R DS 4" 1000lm 5CCT 120V	1000	12	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198313	
FR6R12ESCT1W	Flat DL Fire Rated R DS 6" 1230lm 5CCT 120V	1230	15	2700/3000/3500/4000/5000	90	120V	TRIAC to 5%	190096198320	
DSAEC20	20" Extension Cord	N/A	N/A	N/A	N/A	N/A	N/A	190096196258	
DSANCPR468	4" 6" 8" Round Plate for new construction	N/A	N/A	N/A	N/A	N/A	N/A	190096196289	
DSFD4RTBK	4" Round Flat Downlight Trim Black	N/A	N/A	N/A	N/A	N/A	N/A	190096196326	
DSFD6RTBK	6" Round Flat Downlight Trim Black	N/A	N/A	N/A	N/A	N/A	N/A	190096196340	

Day-Brite CFI field selectable luminaires



Selectable Troffer LED (DSRT)

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
1DSRT3050LCS-4-UNV-DIM	1x4 DSRT LED troffer; Dual-Select	2850/4000/5150	23/31/39	3500/4000/5000	80	120-277V	0-10V	190096197118	
2DSRT3050LCS-2-UNV-DIM	2x2 DSRT LED troffer; Dual-Select	2750/3650/4500	22/28/35	3500/4000/5000	80	120-277V	0-10V	190096197125	
2DSRT4060LCS-4-UNV-DIM	2x4 DSRT LED troffer; Dual-Select	4000/5000/6150	30/39/46	3500/4000/5000	80	120-277V	0-10V	190096197132	



FCY High Bay LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
FCY0815L8CST-UN3-DIM	FCY LED high bay; Dual-Select	8000/12000/15000	55/80/106	4000/5000	80	120-347V	0-10V	190096192601	
FCY1524L8CST-UN3-DIM	FCY LED high bay; Dual-Select	15000/18000/24000	101/130/165	4000/5000	80	120-347V	0-10V	190096192618	
FCY2436L8CST-UN3-DIM	FCY LED high bay; Dual-Select	24000/30000/36000	160/200/250	4000/5000	80	120-347V	0-10V	190096192625	

Lightolier field selectable luminaires



FluxPanel Selectable LED (SBP)

View E-Catalog


Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
1SBP2440L8CSP-4-UN3-DIM	1x4 SBP LED panel; Dual-Select	2600/3200/4000	19/24/30	3500/4000/5000	80	120–347V	0–10V	190096130993	
2SBP2440L8CSP-2-UN3-DIM	2x2 SBP LED panel; Dual-Select	3500/4100/4300	19/24/30	3500/4000/5000	80	120–347V	0–10V	784197708801	
2SBP4060L8CSP-4-UN3-DIM	2x4 SBP LED panel; Dual-Select	4300/5400/6500	30/39/46	3500/4000/5000	80	120–347V	0–10V	784197708818	



HCY High Bay LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
HCY0824L8CST-UN3-DIM-BST-BK	Round HB SCT BST 8-22lm 35-40-50K UN3 BK	8000/14000/24000	50/90/150	3500/4000/5000	80	120–347V	0–10V	190096198603	
HCY0824L8CST-UN3-DIM-BST-WH	Round HB SCT BST 8-22lm 35-40-50K UN3 WH	8000/14000/24000	50/90/150	3500/4000/5000	80	120–347V	0–10V	190096198610	
HCY2438L8CST-UN3-DIM-BST-BK	Round HB SCT BST 24-37lm 35-40-50K UN3 BK	24000/32000/38000	150/210/240	3500/4000/5000	80	120–347V	0–10V	190096198627	
HCY2438L8CST-UN3-DIM-BST-WH	Round HB SCT BST 24-37lm 35-40-50K UN3 WH	24000/32000/38000	150/210/240	3500/4000/5000	80	120–347V	0–10V	190096198634	



NWL & WLS Wraparound LED select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
NWL21525L8CST-UNV-DIM	2ft NWL LED wrap, Dual-Select	1500/2000/2500	13/18/22	3000/3500/4000	80	120–277V	0–10V	190096196883	
NWL43050L8CST-UN3-DIM	4ft NWL LED wrap, Dual-Select	3000/4000/5000	26/35/44	3000/3500/4000	80	120–347V	0–10V	190096196890	
NWL860100L8CST-UN3-DIM	8ft NWL LED wrap, Dual-Select	6000/8000/10000	52/70/87	3000/3500/4000	80	120–347V	0–10V	190096196906	
WLS21530L8CST-UN3-DIM	Wraparound LED Selectable 2ft 15/24/30lm 3CCT 120-347V NO sensor	1500/2000/2500	13/18/22	3000/3500/4000	80	120–277V	0–10V	190096196883	
WLS43153L8CST-UN3-DIM	Wraparound LED Selectable 4ft 31/42/53lm 3CCT 120-347V NO sensor	3000/4000/5000	26/35/44	3000/3500/4000	80	120–347V	0–10V	190096196890	
WLS43153L8CST-UN3-DIM OCC	Wraparound LED Selectable 4ft 31/42/53lm 3CCT 120-347V W/OCC	6000/8000/10000	52/70/87	3000/3500/4000	80	120–347V	0–10V	190096196906	



VTS Vaporlite LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
VTS22028L8CST-UN3-DIM	2ft VTS LED vapor tight; dual select	2000/2400/2800	14/17/21	3500/4000/5000	80	120–347V	0–10V	190096196517	
VTS225L840-UN3-DIM	2ft VTS LED vapor tight; selectable	2500	22	4000	80	120–347V	0–10V	190096196562	
VTS42856L8CST-UN3-DIM	4ft VTS LED vapor tight; dual select	2800/4200/5600	22/32/46	3500/4000/5000	80	120–347V	0–10V	190096196531	
VTS450L840-UN3-DIM	4ft VTS LED vapor tight; selectable	4500	32	4000	80	120–347V	0–10V	190096196524	
VTS8100L840-UN3-DIM	8ft VTS LED vapor tight; selectable	10000	87	4000	80	120–347V	0–10V	190096196548	
VTS880130L8CST-UN3-DIM	8ft VTS LED vapor tight; dual select	8000/11000/13000	57/78/94	3500/4000/5000	80	120–347V	0–10V	190096196555	



SDS Selectable Strip LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
SDS21224LCST-UN3-DIM-OCC	2ft SDS LED strip; dual select	1200/1800/2400	9/13/18	4000/5000	80	120–347V	0–10V	190096197286	
SDS42550LCST-UN3-DIM-OCC	4ft SDS LED strip; dual select	2500/3600/5000	18/26/36	4000/5000	80	120–347V	0–10V	190096197293	
SDS84998LCST-UN3-DIM-OCC	8ft SDS LED strip; dual select	5000/7500/10000	36/53/72	4000/5000	80	120–347V	0–10V	190096197316	
SDS455LCST-UN3-DIM	2ft SDS LED strip; selectable	5500	50	4000/5000	80	120–347V	0–10V	190096197309	
SDS8130LCST-UN3-DIM	8ft SDS LED strip; selectable	13000	100	4000/5000	80	120–347V	0–10V	190096197323	

EvoKit Click retrofit kit LED dual select

View E-Catalog

Product No. (6nc)	Model No. (12nc)	Description	Watts (W)	Lumens (lm)	CRI (min)	CCT (K)	Packaging	Price
269738	929002749013	EvoKit CLKES 1x4 UNV 0-10 P4	17/22/25	2650/3250/3650	80	3500/4000/5000	4 pack	
269696	929002749113	EvoKit CLKES 1x4 UNV 0-10 P1	17/22/25	2650/3250/3650	80	3500/4000/5000	Single Pack	
269803	929002749213	EvoKit CLKES 2x2 UNV 0-10 P4	17/22/25	2650/3250/3650	80	3500/4000/5000	4 pack	
269753	929002749313	EvoKit CLKES 2x2 UNV 0-10 P1	17/22/25	2650/3250/3650	80	3500/4000/5000	Single Pack	
269837	929002749413	EvoKit CLKES 2x4 UNV 0-10 P4	20/26/30	3150/3900/4300	80	3500/4000/5000	4 pack	
269829	929002749513	EvoKit CLKES 2x4 UNV 0-10 P1	20/26/30	3150/3900/4300	80	3500/4000/5000	Single Pack	

Keene field selectable luminaires



Garage & Canopy LED dual select (square)

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
GC60-SCT-G3-SM-5-10-BZ	Square, Garage canopy light; Dual Select		40/50/60W	3000/4000/5000	80	120-347V	0-10V	190096198351	
GC100-SCT-G3-SM-5-10-BZ	Square, Garage canopy light; Dual Select		70/80/90	3000/4000/5000	80	120-347V	0-10V	190096198368	
GC60/100	Remote for GC Series sensor	-	-	-	-	-	-	190096198399	



Garage & Canopy LED dual select (round)

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
GCR60-SCT-G2-SM-5-10-BZ	Round, Garage canopy light; Dual Select	6000 - 8800lm	28/40/60	3000/4000/5000	80	120-347V	0-10V	190096198375	
GCR100-SCT-G2-SM-5-10-BZ	Round, Garage canopy light; Dual Select	12000 - 14800lm	70/80/90	3000/4000/5000	80	120-347V	0-10V	190096198382	
GC60/100	Remote for GC Series sensor	-	-	-	-	-	-	190096198399	



Residential Wall Pack LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
RWP30-SCT-G1-10-BZ	Wall pack; Dual Select	2600/3400/4100	18/24/30	3000/4000/5000	70	120-277V	0-10V	190096197224	



Adjustable Slim Wall Pack LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
ASW25-SCT-G1-10-BW	Architectural wall pack; Dual Select	1800/2400/3000	15/20/25	3000/4000/5000	70	120-347V	0-10V	190096182053	
ASW75-SCT-G1-10-BW	Architectural wall pack; Dual Select	5400/7200/9000	45/60/75	3000/4000/5000	70	120-347V	0-10V	190096182060	



Wall Pack LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
WP60-SCT-G2-10-BZ	Wall pack; Dual Select, Bronze	3860/5280/7380/8160	28/40/60	3000/4000/5000	70	120-347V	0-10V	190096131334	
WP60-SCT-G2-10-WH	Wall pack; Dual Select, White	3860/5280/7380/8160	28/40/60	3000/4000/5000	70	120-347V	0-10V	190096196807	
WP100-SCT-G2-10-BZ	Wall pack; Dual Select, Bronze	9240/10240/11250/12300/13600	70/80/90/100	3000/4000/5000	70	120-347V	0-10V	190096131341	
WP100-SCT-G2-10-WH	Wall pack; Dual Select, White	9240/10240/11250/12300/13600	70/80/90/100	3000/4000/5000	70	120-347V	0-10V	190096196814	
WP100-SCT-G3-10-BZ	Wall Pack, Dual Select, Bronze	11200-12800-14400-16000LM	70-80-90-100W	3000/4000/5000	70	120-347V	0-10V	190096198405	
WP100-SCT-G3-10-WH	Wall Pack, Dual Select, White	11200-12800-14400-16000LM	70-80-90-100W	3000/4000/5000	70	120-347V	0-10V	190096198412	
WP60-SCT-G3-10-BZ	Wall Pack, Dual Select, Bronze	4800-6400-8000-9600LM	30-40-50-60W	3000/4000/5000	70	120-347V	0-10V	190096198429	
WP60-SCT-G3-10-WH	Wall Pack, Dual Select, White	4800-6400-8000-9600LM	30-40-50-60W	3000/4000/5000	70	120-347V	0-10V	190096198436	
WP150-SCT-G1-10-BZ	Wall Pack, Dual Select, Bronze	19200-20800-22400-24000LM	120-130-140-150W	3000/4000/5000	70	120-347V	0-10V	190096198443	
WP150-SCT-G1-10-WH	Wall Pack, Dual Select, White	19200-20800-22400-24000LM	120-130-140-150W	3000/4000/5000	70	120-347V	0-10V	190096198450	



LytePro Area Light LED select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
LPA-A06-740-T3-UNV-FAWS-TRPC-BZ	Area light; approx.; Lumen Selectable	6000	60	4000	70	120-277V	0-10V	190096192953	
LPA-A06-740-T4-UNV-FAWS-TRPC-BZ	Area light; approx.; Lumen Selectable	6000	60	4000	70	120-277V	0-10V	190096192960	
LPA-A11-740-T3-UNV-FAWS-TRPC-BZ	Area light; approx.; Lumen Selectable	11000	110	4000	70	120-277V	0-10V	190096192977	
LPA-A11-740-T4-UNV-FAWS-TRPC-BZ	Area light; approx.; Lumen Selectable	11000	110	4000	70	120-277V	0-10V	190096192984	



Slim Flood LED dual select

View E-Catalog

Model	Product Description	Lumens	Wattage	CCT	CRI	Voltage	Dimming	UPC	Price
SF20-SCT-G3-10-PCB-BZ	Flood light; Dual Mounting; Dual Select; PCB Included	1500/2200/2900	10/15/20	3000/4000/5000	70	120-347V	0-10V	190096197408	
SF35-SCT-G3-10-PCB-BZ	Flood light; Dual Mounting; Dual Select; PCB Included	2400/3900/5000	15/25/35	3000/4000/5000	70	120-347V	0-10V	190096197415	
SF60-SCT-G3-10-PCB-BZ	Flood light; Dual Mounting; Dual Select; PCB Included	5700/7100/9400	35/45/60	3000/4000/5000	70	120-347V	0-10V	190096197422	
SF80-SCT-G3-10-PCB-BZ	Flood light; Dual Mounting; Dual Select; PCB Included	9400/11000/12000	60/70/80	3000/4000/5000	70	120-347V	0-10V	190096197439	
SF150-SCT-G3-10-PCB-BZ	Flood light; Dual Mounting; Dual Select; PCB Included	15500/18500/22250	100/120/150	3000/4000/5000	70	120-347V	0-10V	190096197446	
SF250-SCT-G3-10-PCB-BZ	Flood light; Dual Mounting; Dual Select; PCB Included	30000/34000/38000	190/220/250	3000/4000/5000	70	120-347V	0-10V	190096197453	
SF300-SCT-G3-10-PCB-BZ	Flood light; Dual Mounting; Dual Select; PCB Included	24500/37000/45800	150/240/300	3000/4000/5000	70	120-347V	0-10V	190096197460	

GENLYTE SOLUTIONS

a signify business

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.

Signify North America Corp.
400 Crossing Blvd, Suite 600
Bridgewater, NJ 08807
Telephone: 800-555-0050

Signify Canada Ltd.
281 Hillmount Road,
Markham, ON, Canada L6C 2S3
Telephone: 800-668-9008

All trademarks are owned by Signify Holding or their respective owners.

SGn-2158BR-Field-Selectable-luminaire-lamps-brochure-CA-en 08/26