



GENLYTE SOLUTIONS

a signify business

Contractor
Guide
2026

Design & Stock Ready Portfolio


Design Ready 10-day Quick Ship

Don't let tight project timelines hold you back. Choose from the Design Ready Portfolio which offers design configurations for our leading product brands including Lightolier, Day-Brite, Stonco Keene, and Ledalite.

Stock Ready 2-day Quick Ship

Our Stock Ready Portfolio makes it easy to find just what you need quickly and reliably. We provide conventional and LED lamps, ballasts, drivers, retrofit kits, and indoor and outdoor stock luminaires.

STO Ships in 2 days **DES** Ships in 5-10 days



Design & Stock Ready Portfolio

Day-Brite

FluxPanel Selectable (SBP)				
	Catalog Number	Description	12NC	eCat
STO	2SBP3550L8CS-4-UNV-DIM-BSL310RM	2x4, CCT & LM selectable panel (35K/40K/50K CCT, 35W/38W/50W selectable), 0-10V dim	10912401608901	Link
STO	2SBP2035L8CS-2-UNV-DIM-BSL310RM	2x2, CCT & LM selectable panel (35K/40K/50K CCT, 30W/34W/39W selectable), 0-10V dim	10912401707030	
STO	1SBP2035L8DS-4-UNV-DIM	1x4, CCT & LM selectable panel (35K/40K/50K CCT, 30W/34W/39W selectable), 0-10V dim	912401592648	
STO	2SBP2035L8CS-2-UNV-DIM	2x2, CCT & LM selectable panel (35K/40K/50K CCT, 30W/34W/39W selectable), 0-10V dim	912401707029	
STO	2SBP3050L8CS-4-UNV-DIM	2x4, CCT & LM selectable panel (35K/40K/50K CCT, 35W/38W/50W selectable), 0-10V dim	912401707031	

Day-Brite

Selectable Troffer LED (DSRT)				
	Catalog Number	Description	12NC	eCat
STO	1DSRT3050LCS-4-UNV-DIM	1x4, CCT & LM selectable (35K/40K/50K CCT, 3K/4K/5K LM), 120-277V	911401810587	Link
STO	2DSRT3050LCS-2-UNV-DIM	2x2, CCT & LM selectable (35K/40K/50K CCT, 3K/4K/5K LM), 120-277V	912401711065	
STO	2DSRT4060LCS-4-UNV-DIM	2x4, CCT & LM selectable (35K/40K/50K CCT, 3K/4K/5K LM), 120-277V	912401711066	
STO	1DSRT3050LCS-4-UNV-DIM-DAYOCC	1x4, CCT & LM selectable (35K/40K/50K CCT, 3K/4K/5K LM), 120-277V, DAYOCC Sensor	911401821487	
STO	2DSRT3050LCS-2-UNV-DIM-DAYOCC	2x2, CCT & LM selectable (35K/40K/50K CCT, 3K/4K/5K LM), 120-277V, DAYOCC Sensor	911401821587	
STO	2DSRT4060LCS-4-UNV-DIM-DAYOCC	2x4, CCT & LM selectable (35K/40K/50K CCT, 3K/4K/5K LM), 120-277V, DAYOCC Sensor	911401821687	
STO	1DSRT-4-SKT	DSRT Selectable Troffer Surface Kit 1X4	911401838887	
STO	2DSRT-2-SKT	DSRT Selectable Troffer Surface Kit 2x2	911401838987	
STO	2DSRT-4-SKT	DSRT Selectable Troffer Surface Kit 2x4	911401839087	
STO	DSRT-CKT-NP	DSRT Selectable Troffer Susp Kit no Power	911401838687	
STO	DSRT-CKT-WP	DSRT Selectable Troffer Susp Kit with Power	911401838787	

Day-Brite

FluxGrid				
	Catalog Number	Description	12NC	eCat
STO	2FGXG38B835-2-RS-UNV-DIM	2x2, 3800 lumen, 80CRI, 3500K, round smooth lens, UNV 120-277V, 0-10V	912401608349	Link
STO	2FGXG38B840-2-RS-UNV-DIM	2x2, 3800 lumen, 80CRI, 4000K, round smooth lens, UNV 120-277V, 0-10V	912401608350	
STO	2FGXG42B835-4-FS-UNV-DIM	2x4, 4200 lumen, 80CRI, 3500K, flat smooth lens, UNV 120-277V, 0-10V	912401608355	
STO	2FGXG42B840-4-FS-UNV-DIM	2x4, 4200 lumen, 80CRI, 4000K, flat smooth lens, UNV 120-277V, 0-10V	912401608358	

STO Ships in 2 days **DES** Ships in 5-10 days

Design & Stock Ready Portfolio

Day-Brite



EvoKit Click (retrofit kit)					
	Catalog Number	Description	12NC	DLC	eCat
STO	269696	1x4, EvoKit Click Selectable Color & Power, 120-277V, 0-10V, 4-pack	929002749013	S-0B7W6H	Link
STO	269753	2x2, EvoKit Click Selectable Color & Power, 120-277V, 0-10V, 4-pack	929002749213	S-NEJXOV	
STO	269829	2x4, EvoKit Click Selectable Color & Power, 120-277V, 0-10V, 4-pack	929002749413	S-M0QWEN	
STO	267674	2x2, EvoKit Click, 3200lm, 24W, 80CRI, 3500K, 120-277V, Interact Pro Scalable, 4-pack	929002740313	PG2IVTS2	
STO	114140	2x2, EvoKit Click, 3200lm, 24W, 80CRI, 4000K, 120-277V, Interact Pro Scalable, 4-pack	929002733913	PJHZ10F4	
STO	523621	2x2, EvoKit Click, 3200lm, 24W, 80CRI, 3500K, 120-277V, 0-10V, 4-pack	929001777713	PBBL99UF	
STO	523647	2x2, EvoKit Click, 3200lm, 24W, 80CRI, 4000K, 120-277V, 0-10V, 4-pack	929001777913	PCGIVN5U	
STO	523704	2x4, EvoKit Click, 4200lm, 30W, 80CRI, 3500K, 120-277V, 0-10V, 4-pack	929001778513	P1W5T132	
STO	523720	2x4, EvoKit Click, 4200lm, 30W, 80CRI, 4000K, 120-277V, 0-10V, 4-pack	929001778713	PD7HU98K	
STO	267682	2x4, EvoKit Click, 4200lm, 29W, 80CRI, 3500K, 120-277V, Interact Pro Scalable, 4-pack	929002740413	PO1HXM8O	
STO	121392	2x4, EvoKit Click, 4200lm, 29W, 80CRI, 3500K, 120-277V, Interact Pro Scalable, 4-pack	929002734213	PIJTAVRN	

Day-Brite



FluxPanel				
	Catalog Number	Description	12NC	eCat
STO	1FPZ38B835-4-DS-UNV-DIM	1x4, 3800 lumen, 80CRI, 3500K, Smooth Diffuser, UNV 120-277V, 0-10V	912401609015	Link
STO	1FPZ38B840-4-DS-UNV-DIM	1x4, 3800 lumen, 80CRI, 4000K, Smooth Diffuser, UNV 120-277V, 0-10V	912401609016	
STO	2FPZ38B835-2-DS-UNV-DIM	2x2, 3800 lumen, 80CRI, 3500K, Smooth Diffuser, UNV 120-277V, 0-10V	912401609018	
STO	2FPZ38B840-2-DS-UNV-DIM	2x2, 3800 lumen, 80CRI, 4000K, Smooth Diffuser, UNV 120-277V, 0-10V	912401609019	
STO	2FPZ42B835-4-DS-UNV-DIM	2x4, 4200 lumen, 80CRI, 3500K, Smooth Diffuser, UNV 120-277V, 0-10V	912401609021	
STO	2FPZ42B840-4-DS-UNV-DIM	2x4, 4200 lumen, 80CRI, 4000K, Smooth Diffuser, UNV 120-277V, 0-10V	912401609022	
DES	1FPZ38L840-4-ADS-UNV-DIM-SWZCS	1x4 flat panel troffer, clean room rated, 38L, 33W, 4000K, SR with Interact Pro sensor	912401706478	
DES	1FPZ38L835-4-ADS-UNV-DIM-SWZCS	1x4 flat panel troffer, clean room rated, 38L, 33W, 3500K, SR with Interact Pro sensor	912401706754	
DES	2FPZ38L835-2-ADS-UNV-DIM-SWZCS	2x2 flat panel troffer, clean room rated, 38L, 33W, 3500K, SR with Interact Pro sensor	912401701585	
DES	2FPZ38L840-2-ADS-UNV-DIM-SWZCS	2x2 flat panel troffer, clean room rated, 38L, 33W, 4000K, SR with Interact Pro sensor	912401701587	
DES	2FPZ43L835-4-ADS-UNV-DIM-SWZCS	2x4 flat panel troffer, clean room rated, 38L, 33W, 3500K, SR with Interact Pro sensor	912401701589	
DES	2FPZ43L840-4-ADS-UNV-DIM-SWZCS	2x4 flat panel troffer, clean room rated, 38L, 33W, 4000K, SR with Interact Pro sensor	912401701419	

Day-Brite



FCY LED High Bay				
	Catalog Number	Description	12NC	eCat
STO	FCY0815L8CST-UNV-DIM	FCY LED Value High Bay Dimmable 8,000 to 15,000lm, 80 CRI, 4000K or 5000K	912401592578	Link
STO	FCY1524L8CST-UNV-DIM	FCY LED Value High Bay Dimmable 15,000 to 24,000lm, 80 CRI, 4000K or 5000K	912401592579	
STO	FCY2436L8CST-UNV-DIM	FCY LED Value High Bay Dimmable 24,000 to 36,000lm, 80 CRI, 4000K or 5000K	912401592580	
STO	FCY-PENHGR24	Pendant hanger accessory for FCY0815L and FCY1524L (adds 2.5" to height)	912401592594	
STO	FCY-PENHGR36	Pendant hanger accessory for FCY2436L (adds 2.5" to height)	912401592597	
STO	FCY-REMOTE	Remote hand-held programmer for FCY-SENSOR	912401592590	
STO	FCY-SBK24	Surface bracket kit for FCY0815L and FCY1524L (adds 2.5" to height)	912401592595	
STO	FCY-SBK36	Surface bracket kit for FCY2436L (adds 2.5" to height)	912401592598	
STO	FCY-SENSOR	Field installed microwave sensor	912401592591	
STO	FCY-WG15	Wire guard accessory for FCY0815L	912401592592	
STO	FCY-WG24	Wire guard accessory for FCY1524L	912401592593	

STO Ships in 2 days **DES** Ships in 5-10 days

Design & Stock Ready Portfolio

Day-Brite



HCY LED High Bay				
	Catalog Number	Description	12NC	eCat
STO	HCY0823L8CST-UN3-DIM-BK	HCY LED High Bay 8-23lm 35-40-50K UN3 BK	911401809987	Link
STO	HCY0823L8CST-UN3-DIM-WH	HCY LED High Bay 8-23lm 35-40-50K UN3 WH	911401820487	
STO	HCY2437L8CST-UN3-DIM-BK	HCY LED High Bay 24-37lm 35-40-50K UN3 BK	911401810087	
STO	HCY2437L8CST-UN3-DIM-WH	HCY LED High Bay 24-37lm 35-40-50K UN3 WH	911401820587	
STO	HCY3-LCSMLG	Clear polycarbonate lens cover for HCY3	911401821987	
STO	HCY3-PRLG	Clear polycarbonate reflector HCY2437L	911401810387	
STO	HCY3-PRSM	Clear polycarbonate reflector HCY0823L	911401810487	
STO	HCY3-WGLG	Wire guard for HCY2437L	911401821887	
STO	HCY3-WGSM	Wire guard for HCY0823L	911401821787	
STO	HCY-REMOTE	Remote Programmer for Sensor	911401855781	
STO	HCY-SENSOR	HCY Sensor Accessory	911401874682	
STO	HCY-REMOTE	Remote Programmer for Sensor	911401855781	
STO	HCY-SENSOR	HCY Sensor Accessory	911401874682	
STO	HCY-SURFACE BKT LG	Surface Mount Bracket for HCY28L and HCY33L	911401856181	
STO	HCY-SURFACE BKT SM	Surface Mount Bracket for HCY14L and HCY21L	911401856081	

Day-Brite



FHG LED High Bay				
	Catalog Number	Material Description	12NC	eCat
DES	FHG24L840-UNV-M	24,000 lm LED high bay, 4000K, 80 CRI, universal voltage, surface/chain mount	912401710290	Link
DES	FHG18L840-UNV-M	18,000 lm LED high bay, 4000K, 80 CRI, universal voltage, surface/chain mount	912401710289	
DES	FHG-WG2	Wire guard accessory for FHG LED high bay luminaires	912401710282	
DES	FHG30L840-UNV-M	30,000 lm LED high bay, 4000K, 80 CRI, universal voltage, surface/chain mount	912401710286	
DES	FHG24L840-UNV-W	24,000 lm LED high bay, 4000K, 80 CRI, universal voltage, wall mount	912401710514	
DES	FHG-SENSOR	Occupancy sensor accessory for FHG LED high bay	912401710285	
DES	FHG-PENSMKIT	Pendant mounting kit for FHG LED high bay	912401710280	
DES	FHG24L850-UNV-M-EM08HV-WC6/4	24,000 lm LED high bay, 5000K, EM backup, cord & plug, surface/chain mount	912401710642	
DES	FHG24L850-UNV-M-WC6	24,000 lm LED high bay, 5000K, cord & plug, surface/chain mount	912401710641	

Day-Brite



VTS LED Sealed Strip					
	Catalog Number	Description	12NC	DLC	eCat
STO	VTS42856L8CST-UN3-DIM	VaportiteDS 4ft 28/42/56lm 3CCT 120-347V	911401825185	S-XGL7UR	Link
STO	VTS880130L8CST-UN3-DIM	VaportiteDS 8ft 80/110/130lm 3CCT 120-347V	911401825385	S-EAOD4I	

STO Ships in 2 days **DES** Ships in 5-10 days

Design & Stock Ready Portfolio

Day-Brite

FluxStream LED Strip					
	Catalog Number	Description	12NC	DLC	eCat
STO	FSS440L835-UNV-DIM	4' Length, 4000lm, 80CRI, 3500K, UNV 120-277V, 0-10V	912401283415	PKO8S3FZ	Link
STO	FSS440L840-UNV-DIM	4' Length, 4000lm, 80CRI, 4000K, UNV 120-277V, 0-10V	912401283414	PYUQ9234	
DES	FSS440L835-UNV-DIM-SWZCS LED strip	4', 4000lm, 3W, 3500K, SR with Interact Pro sensor	912401607470	PNRFRWMO	
DES	FSS440L840-UNV-DIM-SWZCS LED strip	4', 4000lm, 3W, 4000K, SR with Interact Pro sensor	912401607471	P40XK80B	
DES	FSS880L835-UNV-DIM-SWZCS LED strip	8', 4000lm, 6W, 3500K, SR with Interact Pro sensor	912401609547	PJ6KEX1M	
DES	FSS880L840-UNV-DIM-SWZCS LED strip	8', 4000lm, 6W, 4000K, SR with Interact Pro sensor	912401607473	P40WVDZN	

Day-Brite

SDS LED Selectable Strip					
	Catalog Number	Description	12NC	DLC	eCat
STO	SDS21224LCST-UN3-DIM-OCC Linear Strip DS	2ft 1200/1800/2400lm/35-40-50K/UN3 OCC	911401846987	S-2FG7B4	Link
STO	SDS42550LCST-UN3-DIM-OCC Linear Strip DS	4ft 2500/3600/5000lm/35-40-50K/UN3 OCC	911401847087	S-BB67SH	
STO	SDS84998LCST-UN3-DIM-OCC Linear Strip DS	8ft 4900/7300/9800lm/35-40-50K/UN3 OCC	911401847287	S-GMX5N2	

CHLORIDE

Value+ LED Emergency Units					
	Catalog Number	Description	12NC	eCat	
Value+ Exit/Emergency Combo Unit					
STO	VLLCR	3.6V and (2) 1 watt LED lamps, no remote capability, Red letters, white housing	912401289503	Link	
STO	VLLCR2R	3.6V and (2) 1 watt LED lamps, remote head capability, Red letters, white housing	912401289504		
STO	VLLCG2R	3.6V and (2) 1 watt LED lamps, remote head capability, Green letters, white housing	912401289507		
STO	VLTCR3R	3.6V and (2) 1 watt LED lamps, remote head capability (2-1W or 1-2W lamp heads), Red letters, white housing	912401461342		
STO	VLTCG3R	3.6V and (2) 1 watt LED lamps, remote head capability (2-1W or 1-2W lamp heads), Green letters, white housing	784197302337		
STO	VLLCG	3.6V and (2) 1 watt LED lamps, no remote capability, Green letters, white housing	784197043896		
Value+ Emergency Unit					
STO	VLLU	Round, 3.6V and (2) 1 watt LED lamps, no remote capability, white housing	912401289498	Link	
STO	VLLU2	Round, 3.6V and (2) 2 watt LED lamps, no remote capability, white housing	912401289502		
STO	VLLUR	Round, 3.6V and (2) 1 watt LED lamps, remote head capability, white housing	912401289499		
STO	VLТУ	Square, 3.6V and (2) 1 watt LED lamps, no remote capability, white housing	912401461338		
STO	VLТУR	Square, 3.6V and (2) 1 watt LED lamps, remote head capability (201W or 1-2W heads), white housing	912401461339		
Value+ Emergency Unit Remote Lamp Heads					
STO	VLL1R	Single round indoor remote head, 3.6V and (1) 1 watt LED lamp, off-white housing	912401289509	Link	
STO	VLL2R	Double round indoor remote head, 3.6V and (2) 1 watt LED lamp, off-white housing	912401289510		
STO	VLТ1R	Single square indoor remote head, 3.6V and (1) 1 watt LED lamp, off-white housing	912401461341		
STO	VLТ2R	Double square indoor remote head, 3.6V and (2) 1 watt LED lamp, off-white housing	912401461410		
STO	VLL1RGO	Single square outdoor remote head, 3.6V, 6V, 9.6V, or 12V and (1) 1 watt LED lamp, gray housing	912401592119		
STO	VLL2RGO	Single square outdoor remote head, 3.6V, 6V, 9.6V, or 12V and (2) 1 watt LED lamp, gray housing	912401592120		

STO Ships in 2 days **DES** Ships in 5-10 days

Design & Stock Ready Portfolio

CHLORIDE



Value+ LED Exit Signs				
	Catalog Number	Description	12NC	eCat
STO	VEGW	Universal Mount, Green Letters, White Thermoplastic Housing, AC Only	912400348806	Link
STO	VEGWEM	Universal Mount, Green Letters, White Thermoplastic Housing, Nicad battery	912400348808	
STO	VERW	Universal Mount, Red Letters, White Thermoplastic Housing, AC Only	912400348805	
STO	VERWEM	Universal Mount, Red Letters, White Thermoplastic Housing, Nicad battery	912400348807	

CHLORIDE



Compac CLU/CLX/CLC				
	Catalog Number	Description	12NC	eCat
STO	CLU2NW	Compac LED 2 Lamp Head Emergency Unit, Nickel Metal Hydride Battery, White	912401502516	Link
STO	CLUNW	Compac LED 2 Lamp Head Emergency Unit, Nickel Cadmium Battery, Compact White Cabinet	912401502515	
STO	CLXNGW	Compac LED Exit, Nickel Metal Hydride Battery, Green Letters, White	912401502519	Link
STO	CLXNRW	Compac LED Exit, Nickel Metal Hydride Battery, Red Letters, White	912401502518	
STO	CLCNGW	Compac LED Exit/unit combo, Nickle Metal Hydride Battery, Green Letters, White	912401502522	Link
STO	CLCNRW	Compac LED Exit/unit combo, Nickle Metal Hydride Battery, Red Letters, White	912401502521	

STO Ships in 2 days **DES** Ships in 5-10 days


Design & Stock Ready Portfolio

LIGHTOLIER



ModuLyte				
	Catalog Number	Description	12NC	eCat
STO	M6RDL259CSWCLZ10U	ML 6IN RD 2500LM MAX WID CL/WH 0-10V	912401592621	Link
STO	M4RDL259CSWCDZ10U	ML 4IN RD 2500LM MAX WID CD/WH 0-10V	912401592619	
STO	M6RDL409CSMCLZ10U	ML 6IN RD 4000LM MAX MED CL/WH 0-10V	912401592624	
STO	M6RDL409CSMCDZ10U	ML 6IN RD 4000LM MAX MED CD/WH 0-10V	912401592625	
STO	M4RDL259CSWWHZ10U	ML 4IN RD 2500LM MAX WID WH/WH 0-10V	912401592620	
STO	M4RDL259CSWCLZ10U	ML 4IN RD 2500LM MAX WID CL/WH 0-10V	912401592618	
STO	M6RDL259CSWWHZ10U	ML 6IN RD 2500LM MAX WID WH/WH 0-10V	912401592623	
STO	M6RDL409CSMWHZ10U	ML 6IN RD 4000LM MAX MED WH/WH 0-10V	912401592626	
STO	M6RDL259CSWCDZ10U	ML 6IN RD 2500LM MAX WID CD/WH 0-10V	912401592622	
STO	M8RDL259CSWWHZ10U	ML 8IN RD 2500LM MAX WID WH/WH 0-10V	912401592629	
STO	M8RDL259CSWCLZ10U	ML 8IN RD 2500LM MAX WID CL/WH 0-10V	912401592627	
STO	M8RDL409CSMWHZ10U	ML 8IN RD 4000LM MAX MED WH/WH 0-10V	912401592632	
STO	M8RDL409CSMCLZ10U	ML 8IN RD 4000LM MAX MED CL/WH 0-10V	912401592630	
STO	M8RDL259CSWCDZ10U	ML 8IN RD 2500LM MAX WID CD/WH 0-10V	912401592628	
STO	M8RDL409CSMCDZ10U	ML 8IN RD 4000LM MAX MED CD/WH 0-10V	912401592631	
STO	M6RLW	ML 6IN RND LENS WW OPTIC	912401592652	
STO	M6MED	ML 6IN RND MED BEAM OPTIC	912401592655	
STO	M6GRW	ML 6IN RND GOOF RING WH	912401592657	
STO	M4RLW	ML 4IN RND LENS WW OPTIC	912401592651	
STO	M8RLW	ML 8IN RND LENS WW OPTIC	912401592653	
STO	M4MED	ML 4IN RND MED BEAM OPTIC	912401592654	
STO	M4GRW	M4GRW ML 4IN RND GOOF RING WH	912401592656	
STO	M8GRW	ML 8IN RND GOOF RING WH	912401592658	
STO	M8MED	ML 8IN RND MED BEAM OPTIC	912401592672	

LIGHTOLIER



New Construction Frames				
	Catalog Number	Description	12NC	eCat
STO	4RNSR	FRAME-4IN RND-SQ BH NJB	912401592564	Link
STO	6RNSR	FRAME-6IN RND-SQ BH NJB	912401592565	
STO	8RNR	FRAME-8IN RND BH NJB	912401592635	

LIGHTOLIER



Fire Rated Flat Downlight				
	Catalog Number	Description	12NC	DLC
STO	FR4R10ESCT1W	Flat DL Fire Rated R DS 4" 1000lm 5CCT 120V	911401853188	Link
STO	FR6R12ESCT1W	Flat DL Fire Rated R DS 6" 1230lm 5CCT 120V	911401853288	
STO	DSAEC20	20" Extension Cord	911401808885	
STO	DSANCP468	4" 6" 8" Round Plate for new construction	911401809185	
STO	DSFD4RTBK	4" Round Flat Downlight Trim Black	911401809585	
STO	DSFD6RTBK	6" Round Flat Downlight Trim Black	911401809785	

STO Ships in 2 days **DES** Ships in 5-10 days

Design & Stock Ready Portfolio

LIGHTOLIER



Flat Downlight LED dual select				
	Catalog Number	Description	12NC	DLC
STO	FD24R9ESCT1W	Flat Downlight R DS 4" 900lm 5CCT 120V	911401851388	Link
STO	FD24RSLMZ10SCTUW	Flat Downlight R DS 4" 600-900lm 5CCT UNV	911401849288	
STO	FD25R91ESCT1W	Flat Downlight R DS 5" 900lm 5CCT 120V	911401851488	
STO	FD26R12ESCT1W	Flat Downlight R DS 6" 1200lm 5CCT 120V	911401851588	
STO	FD26RSLMZ10SCTUW	Flat Downlight R DS 6" 900-1200lm 5CCT UNV	911401849388	
STO	FD28R20ESCT1W	Flat Downlight R DS 8" 2000lm 5CCT 120V	911401851688	
STO	FD28RSLMZ10SCTUW	Flat Downlight R DS 8" 1300-2000lm 5CCT UNV	911401849488	
STO	DSAEC20	20" Extension Cord	911401808885	
STO	DSANCPR5	5" Round Plate for new construction	911401809085	
STO	DSANCPR468	4" 6" 8" Round Plate for new construction	911401809185	
STO	DSFD4RTBK	4" Round Flat Downlight Trim Black	911401809585	
STO	DSFD5RTBK	5" Round Flat Downlight Trim Black	911401809685	
STO	DSFD6RTBK	6" Round Flat Downlight Trim Black	911401809785	
STO	DSFD8RTBK	8" Round Flat Downlight Trim Black	911401809885	

LIGHTOLIER



Surface Mount Downlight LED dual select				
	Catalog Number	Description	12NC	DLC
STO	SD25R7ESCT1W	Surface Mount R DS 5" 700LM 5CCT 120V	911401852688	Link
STO	SD25RSLMZ10SCTUW	Surface Mount R DS 5" 500-700LM 5CCT UNV	911401850488	
STO	SD27R9ESCT1W	Surface Mount R DS 7" 900LM 5CCT 120V	911401852788	
STO	SD27RSLMZ10SCTUW	Surface Mount R DS 7" 700-900LM 5CCT UNV	911401850588	
STO	SD29R11ESCT1W	Surface Mount R DS 9" 1100LM 5CCT 120V	911401852888	
STO	SD29RSLMZ10SCTUW	Surface Mount R DS 9" 900-1100LM 5CCT UNV	911401850688	
STO	SD211R16ESCT1W	Surface Mount R DS 11" 1600LM 5CCT 120V	911401852988	
STO	SD211RSLMZ10SCTUW	Surface Mount R DS 11" 1300-1600LM 5CCT UNV	911401850788	
STO	SD214R18ESCT1W	Surface Mount R DS 14" 1800LM 5CCT 120V	911401853088	
STO	SD214RSLMZ10SCTUW	Surface Mount R DS 14" 1500-1800LM 5CCT UNV	911401850888	

LIGHTOLIER



Downlight LED dual select				
	Catalog Number	Description	12NC	DLC
STO	DL23R5ESCT1W	Downlight R DS 3" 500lm 5CCT 120V	911401852388	Link
STO	DL23RSLMZ10SCTUW	Downlight R DS 3" 350-500lm 5CCT UNV	911401850188	
STO	DL24R10ESCT1W	Downlight R DS 4" 1000lm 5CCT 120V	911401852488	
STO	DL24RSLMZ10SCTUW	Downlight R DS 4" 700-1000lm 5CCT UNV	911401850288	
STO	DL26R12ESCT1W	Downlight R DS 6" 1200lm 5CCT 120V	911401852588	
STO	DL26RSLMZ10SCTUW	Downlight R DS 6" 900-1200lm 5CCT UNV	911401850388	
STO	DSAEC20	20" Extension Cord	911401808885	
STO	DSANCPR346	3" 4" 6" Round Plate for new construction	911401808985	
STO	DSANCPR468	4" 6" 8" Round Plate for new construction	911401809185	

STO Ships in 2 days **DES** Ships in 5-10 days

Design & Stock Ready Portfolio

LIGHTOLIER



Gimbal LED dual select				
	Catalog Number	Description	12NC	DLC
STO	GB23R5ESCT1W	Gimbal R DS 3" 500lm 5CCT 120V	911401851788	Link
STO	GB23RSLMZ10SCTUW	Gimbal R DS 3" 350-500lm 5CCT UNV	911401849588	
STO	GB24R7ESCT1W	Gimbal R DS 4" 700lm 5CCT 120V	911401851888	
STO	GB24RSLMZ10SCTUW	Gimbal R DS 4" 500-700lm 5CCT UNV	911401849688	
STO	GB26R13ESCT1W	Gimbal R DS 6" 1300lm 5CCT 120V	911401851988	
STO	GB26RSLMZ10SCTUW	Gimbal R DS 6" 1000-1300lm 5CCT UNV	911401849788	
STO	GB23R4ESCT1BK	Gimbal R DS 3" 425lm 5CCT 120V BK	911401852088	
STO	GB23RSLMZ10SCTUBK	Gimbal R DS 3" 300-425lm 5CCT UNV BK	911401849888	
STO	GB24R6ESCT1BK	Gimbal R DS 4" 600lm 5CCT 120V BK	911401852188	
STO	GB24RSLMZ10SCTUBK	Gimbal R DS 4" 425-600lm 5CCT UNV BK	911401849988	
STO	GB26R11ESCT1BK	Gimbal R DS 6" 1105lm 5CCT 120V BK	911401852288	
STO	GB26RSLMZ10SCTUBK	Gimbal R DS 6" 850-1105lm 5CCT UNV BK	911401850088	
STO	DSAEC20	20" Extension Cord	911401808885	
STO	DSANCP346	3" 4" 6" Round Plate for new construction	911401808985	
STO	DSANCP468	4" 6" 8" Round Plate for new construction	911401809185	

LIGHTOLIER



Residential Retrofit Downlight LED select				
	Catalog Number	Description	12NC	DLC
STO	RD24R8E301W	Retrofit DL 4" Rd 800lm 90 30K 120V	911401851088	Link
STO	RD24R8ESCT1W	Retrofit DL 4" Rd 800lm 90 5CCT 120V	911401850988	
STO	RD256R11E301W	Retrofit DL 6" Rd 1100lm 90 30K 120V	911401851288	
STO	RD256R11ESCT1W	Retrofit DL 6" Rd 1100lm 90 5CCT 120V	911401851188	
STO	RD4RN	Retrofit DL 4" Frame-in kit housing	911401833385	
STO	RD4RR	Retrofit DL 4" Remodeler housing	911401833485	
STO	RD6RN	Retrofit DL 6" Frame-in kit housing	911401833585	
STO	RD6RR	Retrofit DL 6" Remodeler housing	911401833685	

Stonco KEENE



Garage and Canopy				
	Catalog Number	Description	12NC	eCat
STO	GC60/90-MH10	MH10 hand-held wireless remote	911401828182	-
STO	GC60-SCT-G2-SM-5-10-BZ	Selectable Wattage and CCT 28-40-60W/3000K-4000K-5000K, Bronze Finish	911401872181	Link
STO	GC90-SCT-G2-SM-5-10-BZ	Selectable Wattage and CCT 70-80-90W/ 3000K-4000K-5000K, Bronze Finish	911401872281	
STO	GCR60-SCT-G1-SM-5-10-BZ	Round, Selectable Wattage and CCT 28-40-60W/3000K-4000K-5000K, Bronze Finish	912401591779	Link
STO	GCR90-SCT-G1-SM-5-10-BZ	Round, Selectable Wattage and CCT 70-80-90W/3000K-4000K-5000K, Bronze Finish	912401591780	

STO Ships in 2 days **DES** Ships in 5-10 days

Design & Stock Ready Portfolio

Stonco KEENE



Wall Pack LED dual select				
	Catalog Number	Description	12NC	eCat
STO	WP60-SCT-G3-10-BZ	Selectable wattage and CCT, 30-60W / 30K-40K-50K, Bronze	911401855788	Link
STO	WP60-SCT-G3-10-WH	Selectable wattage and CCT, 30-60W / 30K-40K-50K, White	911401855888	
STO	WP100-SCT-G3-10-BZ	Selectable wattage and CCT, 70-100W / 30K-40K-50K, Bronze	911401855588	
STO	WP100-SCT-G3-10-WH	Selectable wattage and CCT, 70-100W / 30K-40K-50K, White	911401855888	
STO	WP150-SCT-G1-10-BZ	Selectable wattage and CCT, 120-150W / 30K-40K-50K, Bronze	911401855988	
STO	WP150-SCT-G1-10-WH	Selectable wattage and CCT, 120-150W / 30K-40K-50K, White	911401856088	

Stonco KEENE



Slim Flood LED dual select				
	Catalog Number	Description	12NC	eCat
STO	SF20-SCT-G3-10-PCB-BZ	Slim Flood 20W 120-347v CCT & Power Switchable, Angle, Adjustable, Knuckle & Yoke, Photocell	911401859687	Link
STO	SF35-SCT-G3-10-PCB-BZ	Slim Flood 30W 120-347v CCT & Power Switchable, Angle, Adjustable, Knuckle & Yoke, Photocell	911401859787	
STO	SF60-SCT-G3-10-PCB-BZ	Slim Flood 60W 120-347v CCT & Power Switchable, Angle, Adjustable, Knuckle & Yoke, Photocell	911401859887	
STO	SF80-SCT-G3-10-PCB-BZ	Slim Flood 80W 120-347v CCT & Power Switchable, Angle, Adjustable, Knuckle & Yoke, Photocell	911401859987	
STO	SF150-SCT-G3-10-PCB-BZ	Slim Flood 150W 120-347v CCT & Power Switchable, Angle, Adjustable, Knuckle & Yoke, Photocell	911401860087	
STO	SF250-SCT-G3-10-PCB-BZ	Slim Flood 250W 120-347v CCT & Power Switchable, Angle, Adjustable, Knuckle & Yoke, Photocell	911401860187	
STO	SF300-SCT-G3-10-PCB-BZ	300W Slim Flood 120-347v CCT & Power Switchable, Angle, Adjustable, Knuckle & Yoke, Photocell	911401860287	
STO	SFWG-20	Wireguard for SF20W	911401860387	
STO	SFWG-30	Wireguard for SF30W	911401860487	
STO	SFWG-60	Wireguard for SF60W	911401860587	
STO	SFWG-80	Wireguard for SF80W	911401872587	
STO	SFWG-150	Wireguard for SF150W	911401860687	
STO	SFWG-250-300	Wireguard for SF250-300W	911401860787	

GARDCO



Steel Pole				
	Catalog Number	Description	12NC	eCat
DES	SRS-CB-4-11-25-D1-DT5-BK-RS	Straight Round Steel Pole, 25ft height, Black	912401597152	Link
DES	SRS-CB-4-11-20-D1-DT5-BK-RS	Straight Round Steel Pole, 20ft height, Black	912401597153	
DES	SRS-CB-4-11-25-D1-DT5-MG-RS	Straight Round Steel Pole, 25ft height, Medium Grey	912401597230	
DES	SRS-CB-4-11-20-D1-DT5-MG-RS	Straight Round Steel Pole, 20ft height, Medium Grey	912401597231	
DES	SRS-CB-4-11-25-D1-DT5-BZ-RS	Straight Round Steel Pole, 25ft height, Bronze	912401597265	
DES	SRS-CB-4-11-20-D1-DT5-BZ-RS	Straight Round Steel Pole, 20ft height, Bronze	912401597266	
DES	SSS-CB-4-11-25-D1-DT5-BZ-RS	Stright Square Steel Pole, 25ft height, Bronze	912401597391	
DES	SSS-CB-4-11-25-D1-DT5-BK-RS	Stright Square Steel Pole, 25ft height, Black	912401597193	
DES	SSS-CB-4-11-25-D1-DT5-MG-RS	Stright Square Steel Pole, 25ft height, Medium Grey	912401597307	

STO Ships in 2 days **DES** Ships in 5-10 days

© 2026 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.



Signify North America Corp.
400 Crossing Blvd, Suite 600
Bridgewater, NJ 08807
Telephone: 800-555-0050

Signify Canada Ltd.
281 Hillmount Road,
Markham, ON, Canada L6C 2S3
Telephone: 800-668-9008

All trademarks are owned by Signify Holding or their respective owners.