

PHILIPS

Fluorescent to LED Guide
Make the Change Now

LED Quick Guide

TRADITIONAL FLUORESCENT T8 LAMPS		Lamp Length	UL Type	LED REPLACEMENT LAMPS Part Number	Philips 6NC	Color Temp
280891	F32T8/ADV850 ALTO 30PK	4'	B	13.4T8/CNG/48-850/MX18/G 25/1	610295	5000K
433978	F32T8/ADV841/2XL/ALTO 25W	4'	B	16.5T8/MAS/48-840/MF25/P/DIM 25/1	579524	4000K
433986	F32T8/ADV850/2XL/ALTO 25W	4'	B	16.5T8/MAS/48-850/MF25/P/DIM 25/1	579532	5000K
236844	F96T8/TL835/PLUS/ALTO	8'	B	40T8/COR/96-5CCT/MF55LS/G/FA8-R17D 10/1	589804	30K-65K
236851	F96T8/TL841/PLUS/ALTO					
236869	F96T8/TL850/PLUS/ALTO					
236877	F96T8/TL835/HO/PLUS/ALTO					
236885	F96T8/TL841/HO/PLUS/ALTO					
236893	F96T8/TL850/HO/PLUS/ALTO					
42305-3	F96T12/NX/ALTO					
42319-4	F96T12/CWSupreme/ALTO					
42387-1	F96T12/C50Supreme/ALTO					
37282-1	F96T12/DX/ALTO					

*UL Type LED Replacement Options:
UL Type A=compatible with fluorescent ballast
UL Type B =ballast bypass/line voltage
UL Type A+B = Ballast compatible and bypass
UL Type C=compatible with LED driver

LED Quick Guide

TRADITIONAL FLUORESCENT T8 LAMPS		Lamp Length	UL Type	LED REPLACEMENT LAMPS Part Number	Philips 6NC	Color Temp
280933	F17T8/TL830/PLUS/ALTO	2'	A+B	7.5T8/COR/24-5CCT/FF11/G/DIM 25/1	588624	30K-65K
280941	F17T8/TL835/PLUS/ALTO					
280958	F17T8/TL841/PLUS/ALTO					
280966	F17T8/TL850/PLUS/ALTO					
281931	F17T8/TL865/PLUS/ALTO					
281881	F17T8/TL835/ALTO					
281899	F17T8/TL841/ALTO					
280909	F17T8/TL850/ALTO					
280974	F25T8/TL830/PLUS/ALTO	3'	A+B	10.5T8/COR/36-5CCT/FF15/G/DIM 25/1	588632	30K-65K
280982	F25T8/TL835/PLUS/ALTO					
280990	F25T8/TL841/PLUS/ALTO					
281907	F25T8/TL835/ALTO					
281915	F25T8/TL841/ALTO					
280925	F25T8/TL850/ALTO					
582049	F32T8/TL830/ALTO 30PK	4'	A+B	12T8/COR/48-5CCT/FF18/G/DIM 25/1	588640	30K-65K
582056	F32T8/TL835/ALTO 30PK					
582064	F32T8/TL841/ALTO 30PK					
582072	F32T8/TL850/ALTO 30PK					
582080	F32T8/TL865/ALTO 30PK					
280818	F32T8/ADV835/ALTO		A/C	14T8/COR/48-835/IF20/G/DIM 10/1	470104	3500K
280859	F32T8/ADV841/ALTO		A/C	14T8/COR/48-840/IF21/G/DIM 10/1	470112	4000K

*UL Type LED Replacement Options:

UL Type A=compatible with fluorescent ballast

UL Type B =ballast bypass/line voltage

UL Type A+B = Ballast compatible and bypass

UL Type C=compatible with LED driver

LED Quick Guide

TRADITIONAL FLUORESCENT T8 LAMPS		Lamp Length	UL Type	LED REPLACEMENT LAMPS Part Number	Philips 6NC	Color Temp
230771	F14T5/830/ALTO	2'	A	8T5HE/22-830/IF10/G/DIM 10/1	476416	3000K
230797	F14T5/835/ALTO	2'	A	8T5HE/22-835/IF10/G/DIM 10/1	476424	3500K
230805	F14T5/841/ALTO	2'	A	8T5HE/22-840/IF10/G/DIM 10/1	476432	4000K
230813	F21T5/830/ALTO	3'	A	11T5HE/34-830/IF14/G/DIM 10/1	476457	3000K
230821	F21T5/835/ALTO	3'	A	11T5HE/34-835/IF14/G/DIM 10/1	476465	3500K
230839	F21T5/841/ALTO	3'	A	11T5HE/34-840/IF15/G/DIM 10/1	476473	4000K
230847	F28T5/830/ALTO	4'	A	14T5HE/46-830/IF20/G/DIM 10/1	476499	3000K
230854	F28T5/835/ALTO	4'	A	14T5HE/46-835/IF20/G/DIM 10/1	476507	3500K
230862	F28T5/841/ALTO	4'	A	14T5HE/46-840/IF21/G/DIM 10/1	476515	4000K
290288	F54T5/835/HO/ALTO	4'	A	22.5T5HO/MAS/46-835/IF33/P/DIM 25/1	611533	3500K
290833	F54T5/841/HO/ALTO	4'	A	22.5T5HO/MAS/46-840/IF35/P/DIM 25/1	611541	4000K
135103	F54T5/850/HO/ALTO	4'	A	22.5T5HO/MAS/46-850/IF35/P/DIM 25/1	611558	5000K
230771	F14T5/830/ALTO	2'	B	9T5HE/COR/22-5CCT/MF12/G 25/1	592774	30K-65K
230797	F14T5/835/ALTO	2'	B			
230805	F14T5/841/ALTO	2'	B			
230813	F21T5/830/ALTO	3'	B	12T5HE/COR/34-5CCT/MF16/G 25/1	592782	30K-65K
230821	F21T5/835/ALTO	3'	B			
230839	F21T5/841/ALTO	3'	B			
230847	F28T5/830/ALTO	4'	B	13T5HE/COR/46-5CCT/MF18/G 25/1	592790	30K-65K
230854	F28T5/835/ALTO	4'	B			
230862	F28T5/841/ALTO	4'	B			
290288	F54T5/835/HO/ALTO	4'	B	25T5HO/COR/46-835/MF33/G 25/1	576231	3500K
290833	F54T5/841/HO/ALTO	4'	B	25T5HO/COR/46-840/MF35/G 25/1	576249	4000K
135103	F54T5/850/HO/ALTO	4'	B	25T5HO/COR/46-850/MF35/G 25/1	576256	5000K

*UL Type LED Replacement Options:

UL Type A=compatible with fluorescent ballast

UL Type B=ballast bypass/line voltage

UL Type A+B = Ballast compatible and bypass

UL Type C=compatible with LED driver

LED Quick Guide

TRADITIONAL FLUORESCENT T8 LAMPS		Lamp Length	UL Type	LED REPLACEMENT LAMPS Part Number	Philips 6NC	Color Temp
38318-2	PL-C 18W/835/ALTO	18w/26w	B	8PL-C/T/COR/26H-3CCT/MF10/P/20/1 (Horizontal)	577890	30K/35K/40K
38319-0	PL-C 18W/841/ALTO					
38322-4	PL-C 26W/830/ALTO			8PL-C/T/COR/26V-3CCT/MF10/P/20/1 (Vertical)	577908	30K/35K/40K
38323-2	PL-C 26W/835/ALTO					
38324-0	PL-C 26W/841/ALTO					
45828-1	PL-T 32W/827/A/4P/ALTO	32w/42w	A+B	16PL-C/T/COR/42HV-5CCT/FF18/4P 10/1	589788	27K-50K
45829-9	PL-T 32W/830/A/4P/ALTO					
45830-7	PL-T 32W/835/A/4P/ALTO					
45831-5	PL-T 32W/841/A/4P/ALTO					
14900-5	PL-T 42W/827/A/4P/ALTO					
14901-3	PL-T 42W/830/A/4P/ALTO					
14903-9	PL-T 42W/841/A/4P/ALTO					

*UL Type LED Replacement Options:

UL Type A=compatible with fluorescent ballast

UL Type B=ballast bypass/line voltage

UL Type A+B = Ballast compatible and bypass

UL Type C=compatible with LED driver